

ZOOMLION BÆLTEKRANER QUY QUY260 CUMMINS QSL9-C305



MOTOR Cummins QSL9
Kapacitet: 35 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agrisynth LSP 10W-40

PRODUKTANBEFALING 2
Agrisynth MSP 10W-40

PRODUKTANBEFALING 3
Agridiesel MSP 15W-40

REDUKTIONSGEARKASSE
Kapacitet: 6 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

PRODUKTANBEFALING 2
Unigear HS GL-3/GL-5 80W-90

Kontroller alle 3 måneder, skift alle 12 måneder

HYDRAULISK SYSTEM

Kapacitet: 750 liter (Hydrauliktank), Kapacitet: 800 liter (Servicepåfyldning)

ANVEND
Normal

KLIMA
Tropisk

PRODUKTANBEFALING 1
Perlus H 68

Kontroller alle 8 timer, skift alle 24 måneder/ 2000 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Perlus H 46

PRODUKTANBEFALING 2
Perlus H 32

Kontroller alle 8 timer, skift alle 24 måneder/ 2000 timer

SMØREPUNKTER/NIPLER GENERELT

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Q7 MP Calcep Grease WR 2

PRODUKTANBEFALING 2
Caliplex HD Grease EP 2

PRODUKTANBEFALING 3
Q5 MP Calcep Grease EP 2

ZOOMLION BÆLTEKRANER QUY QUY260 CUMMINS QSL9-C305



KØLESYSTEM

Kapacitet: 43 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Kontroller alle 8 timer, skift alle 24 måneder/ 2000 timer

KØREREDUKTIONSGEAR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

PRODUKTANBEFALING 2

Abacot MEP 220

Kontroller alle 3 måneder, skift alle 12 måneder

LØBERULLER/KÆDEHJUL

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 3 måneder, skift alle 12 måneder

SPILTRUKKET REDUKTIONSGEAR GENNEMGÅENDE

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

PRODUKTANBEFALING 2

Abacot MEP 220

Kontroller alle 3 måneder, skift alle 12 måneder

SPILTRUKKET REDUKTIONSGEAR LØFTENDE

Kapacitet: 9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

PRODUKTANBEFALING 2

Abacot MEP 220

Kontroller alle 3 måneder, skift alle 12 måneder

ZOOMLION BÆLTEKRANER QUY QUY260 CUMMINS QSL9-C305



SPILTRUKKET REDUKTIONSGEAR SÆNKENDE

Kapacitet: 8,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

PRODUKTANBEFALING 2

Abacot MEP 220*Kontroller alle 3 måneder, skift alle 12 måneder*

SVINGREDUKTIONSGEAR

Kapacitet: 12 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

PRODUKTANBEFALING 2

Abacot MEP 220*Kontroller alle 3 måneder, skift alle 12 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.