

ASTON MARTIN DB4 DB4(1958-1963)

**ENGINE**

Capacity: 8-9,7 liter

USE

Normal

CLIMATE

Mediterranean

PRODUCT RECOMMENDATION 1

Classic Multigrade 10W-30*Change every 4000 km/ 6 months*

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Classic Monograde 50*Change every 4000 km/ 6 months*

USE

Normal

CLIMATE

Cold

PRODUCT RECOMMENDATION 1

Classic Monograde 30*Change every 4000 km/ 6 months***DIFFERENTIAL REAR**

Capacity: 1,7 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Classic Gear MP 90*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

USE

Normal

CLIMATE

Arctic

PRODUCT RECOMMENDATION 1

Gearlube RPC 75W-80

PRODUCT RECOMMENDATION 2

SP Gear 5015*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

ASTON MARTIN DB4 DB4(1958-1963)

**TRANSMISSION MANUAL** David Brown 4/1

Capacity: 1,7 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Multigrade 10W-30*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Monograde 50*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Monograde 30*Check every 4000 km/ 6 months, change every 16000 km/ 18 months***TRANSMISSION MANUAL OVERDRIVE** David Brown 4/1

Capacity: 2,8 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Multigrade 10W-30*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Monograde 50*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Monograde 30*Check every 4000 km/ 6 months, change every 16000 km/ 18 months*

ASTON MARTIN DB4 DB4(1958-1963)**HYDRAULIC BRAKE/CLUTCH SYSTEM**

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

GREASE POINTS/NIPPLES PROPELLER SHAFT JOINTS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

GREASE POINTS/NIPPLES WHEEL BEARINGS REAR

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

COOLING SYSTEM

Capacity: 15,9 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.