

AUDI (EU) 100 F104 100 LS (63 KW) (1971-1974)



MOTOR		
Kapacitet: 4 liter		
ANVEND	KLIMA	
Normal	Tropisk	
PRODUKTANBEFALING 1		
Classic Monograde 50		
Skift alle 10000 km/ 6 måneder		
ANVEND	KLIMA	
Normal	Middelhavsagtigt	
PRODUKTANBEFALING 1		
Classic Monograde 30		
Skift alle 10000 km/ 6 måneder		
ANVEND	KLIMA	
Normal	Moderat	
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40
Skift alle 10000 km/ 6 måneder		
ANVEND	KLIMA	
Første Service	Tropisk	
PRODUKTANBEFALING 1		
Classic Monograde 50		
Skift alle 500 km		
ANVEND	KLIMA	
Første Service	Middelhavsagtigt	
PRODUKTANBEFALING 1		
Classic Monograde 30		
Skift alle 500 km		
ANVEND	KLIMA	
Første Service	Moderat	
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40
Skift alle 500 km		
ANVEND	KLIMA	
Kort distance	Tropisk	
PRODUKTANBEFALING 1		
Classic Monograde 50		
Skift alle 5000 km		

AUDI (EU) 100 F104 100 LS (63 KW) (1971-1974)



ANVEND		KLIMA
Kort distance		Middelhavsagtigt
PRODUKTANBEFALING 1		
Classic Monograde 30		

Skift alle 5000 km

ANVEND		KLIMA
Kort distance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40

Skift alle 5000 km

ANVEND		KLIMA
Andet skift kun		Tropisk
PRODUKTANBEFALING 1		
Classic Monograde 50		

Skift alle 5000 km

ANVEND		KLIMA
Andet skift kun		Middelhavsagtigt
PRODUKTANBEFALING 1		
Classic Monograde 30		

Skift alle 5000 km

ANVEND		KLIMA
Andet skift kun		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40

Skift alle 5000 km

TRANSAXSEL MANUEL 4/1 Kapacitet: 2 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Classic Gear EP 80		

Skift alle 30000 km

ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1		
Classic Gear EP 80		

Skift alle 500 km

AUDI (EU) 100 F104 100 LS (63 KW) (1971-1974)



HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

HJULLEJER

Kapacitet: 10 gram

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 7,5 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.