AUDI (EU) 100 F104 100 LS (63 KW) (1971-1974)



ENGINE Capacity: 4 liter		
JSE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1		·
Classic Monograde 50		
Change every 10000 km/ 6 months		<u> </u>
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Classic Monograde 30		
Change every 10000 km/ 6 months		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40
Change every 10000 km/ 6 months		
USE		CLIMATE
Initial service		Tropical
PRODUCT RECOMMENDATION 1		
Classic Monograde 50		
Change every 500 km		
USE		CLIMATE
Initial service		Mediterranean
Classic Monograde 30		
Classic Monograde 30 Change every 500 km		
Classic Monograde 30 Change every 500 km		CLIMATE
Classic Monograde 30 Change every 500 km use Initial service		Moderate
Classic Monograde 30 Change every 500 km USE Initial service PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2 Classic Multigrado 20W-50	Moderate PRODUCT RECOMMENDATION 3
Classic Monograde 30 Change every 500 km USE Initial service PRODUCT RECOMMENDATION 1 Classic Racing Oil 15W-50	PRODUCT RECOMMENDATION 2 Classic Multigrade 20W-50	Moderate
Classic Monograde 30 Change every 500 km USE Initial service PRODUCT RECOMMENDATION 1 Classic Racing Oil 15W-50 Change every 500 km		PRODUCT RECOMMENDATION 3 Classic Multigrade 15W-40
Classic Monograde 30 Change every 500 km USE Initial service PRODUCT RECOMMENDATION 1 Classic Racing Oil 15W-50 Change every 500 km USE		Moderate PRODUCT RECOMMENDATION 3 Classic Multigrade 15W-40 CLIMATE
Classic Monograde 30 Change every 500 km USE Initial service PRODUCT RECOMMENDATION 1 Classic Racing Oil 15W-50 Change every 500 km USE Short distance		PRODUCT RECOMMENDATION 3 Classic Multigrade 15W-40
Classic Monograde 30 Change every 500 km USE Initial service PRODUCT RECOMMENDATION 1 Classic Racing Oil 15W-50 Change every 500 km USE Short distance PRODUCT RECOMMENDATION 1 Classic Monograde 50		Moderate PRODUCT RECOMMENDATION 3 Classic Multigrade 15W-40 CLIMATE

AUDI (EU) 100 F104 100 LS (63 KW) (1971-1974)



USE		CLIMATE
Short distance		Mediterranean
PRODUCT RECOMMENDATION 1		
Classic Monograde 30		
Change every 5000 km		
USE		CLIMATE
Short distance		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40
Change every 5000 km		
USE		CLIMATE
Second change only		Tropical
PRODUCT RECOMMENDATION 1		
Classic Monograde 50		
Change every 5000 km		
USE		CLIMATE
Second change only		Mediterranean
PRODUCT RECOMMENDATION 1		
Classic Monograde 30		
Change every 5000 km		
USE		CLIMATE
Second change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40
Change every 5000 km		
TRANSAXLE MANUAL 4/1 Capacity: 2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear EP 80		
Change every 30000 km	1	
USE		CLIMATE

Initial service

Classic Gear EP 80
Change every 500 km

Moderate

AUDI (EU) 100 F104 100 LS (63 KW) (1971-1974)



HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

WHEEL BEARINGS Capacity: 10 grams		
use Normal		сымате Moderate
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

COOLING SYSTEM Capacity: 7,5 liter		
use Normal		сымате Moderate
Coolant -38 Organic NF	Coolant -26	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.