

PRODUCT RECOMMENDATION

BMW (EU) 2.5, 2800, 3.0 CS/CSI E9 2.5 CS (1974-1975)



ENGINE M30B25

Capacity: 5,75 liter, Filter capacity: 0,75 liter

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1

Classic Monograde 50

Change every 6000 km/ 6 months

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Multigrade 20W-50

Change every 6000 km/ 6 months

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Multigrade 15W-40

PRODUCT RECOMMENDATION 2

Classic Multigrade 10W-30

PRODUCT RECOMMENDATION 3

Classic Monograde 30

Change every 6000 km/ 6 months

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Racing Oil 15W-50

Change every 6000 km/ 6 months

DIFFERENTIAL REAR

Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear MP 90

Check every 12000 km

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear MP 90

Change every 1000 km

BMW (EU) 2.5, 2800, 3.0 CS/CSI E9 2.5 CS (1974-1975)



DIFFERENTIAL REAR LIMITED SLIP

Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear LS 90*Check every 12000 km*

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear LS 90*Change every 1000 km*

TRANSMISSION AUTOMATIC ZF 3HP-20 3/1

Capacity: 5,8 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic ATF A*Check every 12000 km*

BMW (EU) 2.5, 2800, 3.0 CS/CSI E9 2.5 CS (1974-1975)



TRANSMISSION MANUAL Getrag 262 4/1
Capacity: 1,1 liter

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1 Classic Monograde 50		
---	--	--

Check every 12000 km, change every 36000 km

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1 Classic Multigrade 20W-50		
--	--	--

Check every 12000 km, change every 36000 km

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 Classic Multigrade 15W-40	PRODUCT RECOMMENDATION 2 Classic Multigrade 10W-30	PRODUCT RECOMMENDATION 3 Classic Monograde 30
--	--	---

Check every 12000 km, change every 36000 km

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1 Classic Racing Oil 15W-50		
--	--	--

Check every 12000 km, change every 36000 km

TRANSMISSION MANUAL ZF S4-18/3 4/1
Capacity: 1,2 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1 Classic Multigrade 10W-30	PRODUCT RECOMMENDATION 2 Classic Monograde 30	
--	---	--

Check every 12000 km, change every 36000 km

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 Classic Gear EP 80		
---	--	--

Check every 12000 km, change every 36000 km

BMW (EU) 2.5, 2800, 3.0 CS/CSI E9 2.5 CS (1974-1975)



HYDRAULIC BRAKE/CLUTCH SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Check every 12000 km, change every 12 months

POWER STEERING SEPARATE SYSTEM

Capacity: 1,2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic ATF A		

Check every 12000 km

COOLING SYSTEM

Capacity: 12 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Check every 12000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.