

# BORGWARD ISABELLA ISABELLA 1500 COMBI (1957-1962)



**ENGINE** 4M 1.5 II  
Capacity: 4 liter

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

PRODUCT RECOMMENDATION 1

**Classic Monograde 30**

*Change every 4000 km*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30**

*Change every 4000 km*

| USE             | CLIMATE       |
|-----------------|---------------|
| Initial service | Mediterranean |

PRODUCT RECOMMENDATION 1

**Classic Monograde 30**

*Change every 500 km*

| USE             | CLIMATE  |
|-----------------|----------|
| Initial service | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30**

*Change every 500 km*

| USE                | CLIMATE       |
|--------------------|---------------|
| Second change only | Mediterranean |

PRODUCT RECOMMENDATION 1

**Classic Monograde 30**

*Change every 1000 hours*

| USE                | CLIMATE  |
|--------------------|----------|
| Second change only | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30**

*Change every 1000 hours*

# BORGWARD ISABELLA ISABELLA 1500 COMBI (1957-1962)



## DIFFERENTIAL REAR

Capacity: 1,75 liter (Dry fill), Capacity: 1,5 liter (Service fill)

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Gear MP 90**

Check every 4000 km, change every 12000 km

## TRANSMISSION 4/1

Capacity: 1 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Classic Gear EP 90**

Check every 4000 km, change every 12000 km

## HYDRAULIC BRAKE SYSTEM

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3**

## HYDRAULIC CLUTCH SYSTEM

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3**

## GREASE POINTS/NIPPLES

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Labora Grease**

PRODUCT RECOMMENDATION 2

**Q5 MP Calcep Grease EP 2**

PRODUCT RECOMMENDATION 3

**MP Lithep Grease EP 2**

# BORGWARD ISABELLA ISABELLA 1500 COMBI (1957-1962)



## WHEEL BEARINGS FRONT

| USE                      |                                 | CLIMATE                      |
|--------------------------|---------------------------------|------------------------------|
| Normal                   |                                 | Moderate                     |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2        | PRODUCT RECOMMENDATION 3     |
| <b>Labora Grease</b>     | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

Change every 12000 km

## COOLING SYSTEM

Capacity: 7 liter

| USE                           |                          | CLIMATE  |
|-------------------------------|--------------------------|----------|
| Normal                        |                          | Moderate |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2 |          |
| <b>Coolant -38 Organic NF</b> | <b>Coolant -26</b>       |          |

Change every 12 months

## STEERING BOX

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Normal                    |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Classic Gear EP 90</b> |  |          |

Check every 4000 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.