

BUICK (USA / CAN) SPECIAL, SKYLARK SPECIAL V6 (1962-1963)



MOTOR Fireball 198
Kapacitet: 4,7 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Classic Multigrade 10W-30

PRODUKTANBEFALING 2
Classic Monograde 30

Skift alle 9000 km/ 2 måneder

DIFFERENTIALE BAG
Kapacitet: 1,2 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Classic Gear MP 90

Kontroller alle 9000 km

GEAR AUTOMATISK Dynaflow Turbine 2/1
Kapacitet: 5,7 liter (Efterfyld), Kapacitet: 8,8 liter (Total)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Classic ATF A

Kontroller alle 9000 km, skift alle 36000 km

GEAR MANUEL 3/1
Kapacitet: 0,95 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Classic Gear EP 90

Kontroller alle 9000 km

GEAR MANUEL Borg Warner T10 4/1
Kapacitet: 1,2 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Classic Gear EP 90

Kontroller alle 9000 km

BUICK (USA / CAN) SPECIAL, SKYLARK SPECIAL V6 (1962-1963)



SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear LS 90

Kontroller alle 9000 km

HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 9000 km

SERVOSTYRING

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic ATF A

Kontroller alle 9000 km

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Kontroller alle 9000 km/ 6 måneder

SMØREPUNKTER/NIPLER UNIVERSALKOBLINGER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gear Grease EP 1

BUICK (USA / CAN) SPECIAL, SKYLARK SPECIAL V6 (1962-1963)



KØLESYSTEM

Kapacitet: 12,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.