

CHEVROLET (USA) CAMARO 1ST GEN

CAMARO 3.8L (1966-1969)



MOTOR (230 CID)

Kapacitet: 3,8 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

Skift alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Krævende	Middelhavsagtigt

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 3000 mil/ 2 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

Skift alle 3000 mil/ 2 måneder

DIFFERENTIALE BAG

Kapacitet: 1,7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

PRODUKTANBEFALING 2

Gearlube RPC 75W-80

PRODUKTANBEFALING 3

SP Gear 5015

Kontroller alle 6000 mil/ 4 måneder

CHEVROLET (USA) CAMARO 1ST GEN

CAMARO 3.8L (1966-1969)



GEAR AUTOMATISK Powerglide 2/1
Kapacitet: 2 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Kontroller alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Skift alle 24000 mil

GEAR MANUEL 3/1
Kapacitet: 1,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Gear MP 90	Gearlube RPC 75W-80	SP Gear 5015

Kontroller alle 6000 mil/ 4 måneder

GEAR MANUEL 4/1
Kapacitet: 1,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Gear MP 90	Gearlube RPC 75W-80	SP Gear 5015

Kontroller alle 6000 mil/ 4 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG
Kapacitet: 1,7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear LS 90		

Kontroller alle 6000 mil/ 4 måneder

CHEVROLET (USA) CAMARO 1ST GEN

CAMARO 3.8L (1966-1969)



HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 6000 mil/ 4 måneder

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Kontroller alle 6000 mil/ 4 måneder

SMØREPUNKTER/NIPLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Kontroller alle 6000 mil/ 4 måneder

KØLESYSTEM

Kapacitet: 12,3 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

Skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.