

CHEVROLET (USA) CAMARO 2ND GEN

CAMARO 5.7L Z28 (1970-1974)



MOTOR (350 CID)
Kapacitet: 4,7 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Monograde 30

Skift alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
HDX 10W	Classic Multigrade 15W-40	Classic Multigrade 10W-30

Skift alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Krævende	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Monograde 30

Skift alle 3000 mil/ 2 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
HDX 10W	Classic Multigrade 15W-40	Classic Multigrade 10W-30

Skift alle 3000 mil/ 2 måneder

DIFFERENTIALE BAG

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Gear MP 90	Gearlube RPC 75W-80	SP Gear 5015

CHEVROLET (USA) CAMARO 2ND GEN

CAMARO 5.7L Z28 (1970-1974)



GEAR AUTOMATISK Turbo-Hydramatic 400 3/1
Kapacitet: 10,5 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

Skift alle 60000 mil

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

Skift alle 15000 mil

GEAR MANUEL 4/1
Kapacitet: 0-0 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Gear MP 90	Gearlube RPC 75W-80	SP Gear 5015

Kontroller alle 6000 mil/ 4 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear LS 90		

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
ATF Dexron II-D	ATF Almirol	

CHEVROLET (USA) CAMARO 2ND GEN

CAMARO 5.7L Z28 (1970-1974)



SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 14,4-17 liter (ca.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

Skift alle 30000 mil/ 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.