

CHEVROLET (USA) CAMARO 2ND GEN

CAMARO 5.7L (1970-1973)



MOTOR (350 CID)
Kapacitet: 4,7 liter (Servicepåfyldning)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 15W-40

PRODUKTANBEFALING 2

Classic Multigrade 10W-30

Skift alle 6000 mil/ 4 måneder

ANVEND	KLIMA
Krævende	Middelhavsagtigt

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 3000 mil/ 2 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 15W-40

PRODUKTANBEFALING 2

Classic Multigrade 10W-30

Skift alle 3000 mil/ 2 måneder

DIFFERENTIALE BAG

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

PRODUKTANBEFALING 2

Gearlube RPC 75W-80

PRODUKTANBEFALING 3

SP Gear 5015

Kontroller alle 6000 mil/ 4 måneder

GEAR AUTOMATISK Turbo-Hydrumatic 350 3/1
Kapacitet: 9,5 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic ATF A

Kontroller alle 6000 mil/ 4 måneder

CHEVROLET (USA) CAMARO 2ND GEN

CAMARO 5.7L (1970-1973)



GEAR AUTOMATISK Turbo-Hydramatic 400 3/1
Kapacitet: 10,5 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic ATF A

Skift alle 24000 mil

GEAR MANUEL Saginaw M20/M21 4/1

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

PRODUKTANBEFALING 2

Gearlube RPC 75W-80

PRODUKTANBEFALING 3

SP Gear 5015

Kontroller alle 6000 mil/ 4 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear LS 90

Kontroller alle 6000 mil/ 4 måneder

HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Kontroller alle 6000 mil/ 4 måneder

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic ATF A

Kontroller alle 6000 mil/ 4 måneder

CHEVROLET (USA) CAMARO 2ND GEN

CAMARO 5.7L (1970-1973)



SMØREPUNKTER/NIPLER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

Kontroller alle 10000 km/ 4 måneder

KØLESYSTEM		
Kapacitet: 11,8-15,6 liter (ca.)		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Coolant -38 Organic NF	PRODUKTANBEFALING 2 Coolant -26	

Skift alle 24000 mil/ 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.