

FIAT (EU) 1500L/1800(B)/2100/2300 112/114/129 1500L 129 (1963-1968)



MOTOR 115.043
Kapacitet: 3,5 liter

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1

Classic Monograde 50

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Classic Multigrade 15W-40

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

PRODUKTANBEFALING 2

Classic Monograde 30

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1

Classic Monograde 50

Skift alle 1500 km

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1

Classic Multigrade 15W-40

Skift alle 1500 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

PRODUKTANBEFALING 2

Classic Monograde 30

Skift alle 1500 km

ANVEND	KLIMA
Andet skift kun	Tropisk

PRODUKTANBEFALING 1

Classic Monograde 50

Skift alle 4500 timer

FIAT (EU) 1500L/1800(B)/2100/2300 112/114/129 1500L 129 (1963-1968)



ANVEND		KLIMA
Andet skift kun		Middelhavsagtigt
PRODUKTANBEFALING 1		
Classic Multigrade 15W-40		

Skift alle 4500 timer

ANVEND		KLIMA
Andet skift kun		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Classic Multigrade 10W-30	Classic Monograde 30	

Skift alle 4500 timer

DIFFERENTIALE BAG		
Kapacitet: 1,5 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Classic Gear MP 90		

Kontroller alle 10000 km, skift alle 30000 km

GEAR MANUEL 4/1		
Kapacitet: 1,35 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Classic Gear MP 90		

Kontroller alle 10000 km, skift alle 30000 km

HYDRAULISK BREMSESYSTEM		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 10000 km

FIAT (EU) 1500L/1800(B)/2100/2300 112/114/129 1500L 129 (1963-1968)



HYDRAULISK KOBLINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 10000 km

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gear Grease EP 1		

Skift alle 2500 km

SMØREPUNKTER/NIPLER HJULLEJER FOR

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Labora Grease	Multi Purpose Grease 3	

Skift alle 20000 km

KØLESYSTEM

Kapacitet: 7 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

GENERATOR

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 30000 km

FIAT (EU) 1500L/1800(B)/2100/2300 112/114/129 1500L 129 (1963-1968)



STARTER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

Skift alle 30000 km

STYREHUS

Kapacitet: 0,18 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.