

HUDSON COMMODORE COMMODORE EIGHT (1948-1951)



ENGINE L-Head Eight 254
Capacity: 7,5 liter (Dry fill), Capacity: 6,5 liter (Refill)

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1

Classic Multigrade 10W-30*Check every 1000 miles, change every 2000 miles*

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

Classic Monograde 30*Check every 1000 miles, change every 2000 miles*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

HDX 10W*Check every 1000 miles, change every 2000 miles***DIFFERENTIAL REAR**

Capacity: 1,6 kg

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Vintage Gear 90*Check every 1000 miles, change every 10000 miles***TRANSMISSION MANUAL 3/1**

Capacity: 0,91 kg

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear ZC 90*Check every 1000 miles, change every 5000 miles*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Gear EP 80*Check every 1000 miles, change every 5000 miles*

HUDSON COMMODORE COMMODORE EIGHT (1948-1951)



TRANSMISSION MANUAL + OVERDRIVE 4/1

Capacity: 1,47 kg

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear ZC 90*Check every 1000 miles, change every 5000 miles*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

Classic Gear EP 80*Check every 1000 miles, change every 5000 miles*

HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3*Check every 1000 miles*

HYDRAULIC CLUTCH SYSTEM

Capacity: 0,16 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic ATF F*Change every 5000 miles*

GREASE POINTS/NIPPLES GENERATOR BEARINGS

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

HDX 10W

PRODUCT RECOMMENDATION 2

Classic Multigrade 10W-30

PRODUCT RECOMMENDATION 3

Classic Monograde 30*Check every 2000 miles*

HUDSON COMMODORE COMMODORE EIGHT (1948-1951)



GREASE POINTS/NIPPLES OTHERS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Check every 1000 miles

GREASE POINTS/NIPPLES PROPSHAFT BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Abacot MEP 460		

Check every 1000 miles

GREASE POINTS/NIPPLES WHEEL BEARINGS

We are unable to give a standard recommendation for this component. Please contact our service department.

COOLING SYSTEM

Capacity: 16 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	

Check every 1000 miles

DISTRIBUTOR

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
HDX 10W	Classic Multigrade 10W-30	Classic Monograde 30

Check every 2000 miles

STEERING GEAR

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Classic Gear ZC 90		

Check every 1000 miles

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUCT RECOMMENDATION

HUDSON COMMODORE COMMODORE EIGHT (1948-1951)



advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.