

# MAZDA (EU) FAMILIA/323 FAMILIA/323 STATION WAGON 1500 FA4 (1982-1986)



## MOTOR E5

Kapacitet: 3 liter, Filterkapacitet: 0,3 liter

| ANVEND | KLIMA            |
|--------|------------------|
| Normal | Middelhavsagtigt |

PRODUKTANBEFALING 1

**Classic Multigrade 20W-50**

*Skift alle 10000 km/ 6 måneder*

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**Classic Racing Oil 15W-50**

PRODUKTANBEFALING 2

**Classic Multigrade 15W-40**

PRODUKTANBEFALING 3

**Classic Multigrade 10W-30**

*Skift alle 10000 km/ 6 måneder*

| ANVEND         | KLIMA            |
|----------------|------------------|
| Første Service | Middelhavsagtigt |

PRODUKTANBEFALING 1

**Classic Multigrade 20W-50**

*Skift alle 1000 km*

| ANVEND         | KLIMA   |
|----------------|---------|
| Første Service | Moderat |

PRODUKTANBEFALING 1

**Classic Racing Oil 15W-50**

PRODUKTANBEFALING 2

**Classic Multigrade 15W-40**

PRODUKTANBEFALING 3

**Classic Multigrade 10W-30**

*Skift alle 1000 km*

## DIFFERENTIALE BAG

Kapacitet: 0,8 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**Classic Gear MP 90**

*Kontroller alle 10000 km/ 6 måneder, skift alle 20000 km/ 12 måneder*

| ANVEND         | KLIMA   |
|----------------|---------|
| Første Service | Moderat |

PRODUKTANBEFALING 1

**Classic Gear MP 90**

*Skift alle 10000 km/ 6 måneder*

# MAZDA (EU) FAMILIA/323 FAMILIA/323 STATION WAGON 1500 FA4 (1982-1986)



## GEAR MANUEL 4/1

Kapacitet: 1,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Gear EP 90**

*Kontroller alle 10000 km/ 6 måneder, skift alle 50000 km/ 30 måneder*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Gear EP 90**

*Skift alle 10000 km/ 6 måneder*

## GEAR MANUEL 5/1

Kapacitet: 1,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Gear EP 90**

*Kontroller alle 10000 km/ 6 måneder, skift alle 50000 km/ 30 måneder*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Gear EP 90**

*Skift alle 10000 km/ 6 måneder*

## HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid DOT 3**

*Skift alle 40000 km/ 24 måneder*

## HYDRAULISK KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid DOT 3**

*Skift alle 40000 km/ 24 måneder*

# MAZDA (EU) FAMILIA/323 FAMILIA/323 STATION WAGON 1500 FA4 (1982-1986)



## SMØREPUNKTER/NIPLER HJULLEJER FOR

| ANVEND               |                                 | KLIMA                        |
|----------------------|---------------------------------|------------------------------|
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

Skift alle 40000 km/ 24 måneder

## KØLESYSTEM

Kapacitet: 5,5 liter

| ANVEND                        |                     | KLIMA   |
|-------------------------------|---------------------|---------|
| Normal                        |                     | Moderat |
| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2 |         |
| <b>Coolant -38 Organic NF</b> | <b>Coolant -26</b>  |         |

Skift alle 20000 km/ 12 måneder

## STYREHUS

Kapacitet: 0,25 liter

| ANVEND                    |  | KLIMA   |
|---------------------------|--|---------|
| Normal                    |  | Moderat |
| PRODUKTANBEFALING 1       |  |         |
| <b>Classic Gear EP 90</b> |  |         |

Kontroller alle 20000 km/ 12 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.