

MERCEDES-BENZ (EU) 123-SERIEN W123

230T 123.083 (1978-1980)



MOTOR M115.954

Kapacitet: 5,5 liter (Servicepåfyldning), Kapacitet: 6 liter (Tør efterfyld), Filterkapacitet: 0,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40

Kontroller alle 500 km, skift alle 7500 km/ 6 måneder

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Asyntho 5W-30	Classic Multigrade 10W-30	

Kontroller alle 500 km, skift alle 7500 km/ 6 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 20W-50	Classic Multigrade 15W-40

Skift alle 3500 km

ANVEND	KLIMA
Krævende	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Asyntho 5W-30	Classic Multigrade 10W-30	

Skift alle 3500 km

DIFFERENTIALE BAG

Kapacitet: 1 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear MP 90		

Kontroller alle 15000 km/ 12 måneder

ANVEND	KLIMA
Første skift kun	Moderat

PRODUKTANBEFALING 1		
Classic Gear MP 90		

Skift alle 7500 km

MERCEDES-BENZ (EU) 123-SERIEN W123

230T 123.083 (1978-1980)



GEAR AUTOMATISK 722.1xx 4/1
Kapacitet: 4,8 liter (Servicepåfyldning), Kapacitet: 6,1 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Kontroller alle 1500 km/ 12 måneder, skift alle 45000 km

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Skift alle 22500 km

GEAR MANUEL 716.0xx 4/1
Kapacitet: 1,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Kontroller alle 15000 km/ 12 måneder

ANVEND	KLIMA
Første skift kun	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Skift alle 7500 km

HYDRAULISK NIVELLERINGSSYSTEM
Kapacitet: 3,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3023		

Kontroller alle 15000 km/ 12 måneder

MERCEDES-BENZ (EU) 123-SERIEN W123

230T 123.083 (1978-1980)



HYDRAULISK BREMSE- & KOBLINGSSYSTEM

Kapacitet: 0,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3*Kontroller alle 500 km, skift alle 12 måneder*

SERVOSTYRING

Kapacitet: 1,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic ATF A*Kontroller alle 15000 km/ 12 måneder*

KØLESYSTEM

Kapacitet: 10 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11*Kontroller alle 500 km, skift alle 24 måneder*

STYREHUS

Kapacitet: 0,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90*Kontroller alle 15000 km/ 12 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.