

MERCEDES-BENZ (EU) S-KLASSE W116 / 126 300 SDL 126.125 (1986-1987)



MOTOR OM603.961

Kapacitet: 7,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Emperol 10W-40

PRODUKTANBEFALING 2

Bi-Turbo 20W-50

PRODUKTANBEFALING 3

Bi-Turbo 15W-40

Kontroller alle 500 km, skift alle 10000 km/ 12 måneder

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

Asyntho 5W-30

Kontroller alle 500 km, skift alle 10000 km/ 12 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Emperol 10W-40

PRODUKTANBEFALING 2

Bi-Turbo 20W-50

PRODUKTANBEFALING 3

Bi-Turbo 15W-40

Skift alle 5000 km

ANVEND

Krævende

KLIMA

Koldt

PRODUKTANBEFALING 1

Asyntho 5W-30

Skift alle 5000 km

DIFFERENTIALE BAG

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

Kontroller alle 20000 km/ 24 måneder

MERCEDES-BENZ (EU) S-KLASSE W116 / 126 300 SDL 126.125 (1986-1987)



GEAR AUTOMATISK 722.3xx 4/1
Kapacitet: 6,2 liter (Servicepåfyldning), Kapacitet: 7,3 liter (Tør efterfyld)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

Kontroller alle 20000 km/ 24 måneder, skift alle 60000 km

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

Skift alle 30000 km

HYDRAULISK NIVELLERINGSSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3023		

Kontroller alle 20000 km/ 24 måneder

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

Kapacitet: 0,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid-S DOT 4		

Kontroller alle 500 km, skift alle 12 måneder

SERVOSTYRING

Kapacitet: 1,2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic ATF A		

Kontroller alle 20000 km/ 24 måneder

MERCEDES-BENZ (EU) S-KLASSE W116 / 126 300 SDL 126.125 (1986-1987)



KØLESYSTEM

Kapacitet: 8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

Kontroller alle 500 km, skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.