

# MERCEDES-BENZ (EU) S-KLASSE W116 / 126 500 SEL 126.037 (1980-1981)



## MOTOR M117.961

Kapacitet: 9 liter (Servicepåfyldning), Kapacitet: 8 liter (Tør efterfyld)

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1              | PRODUKTANBEFALING 2              | PRODUKTANBEFALING 3              |
|----------------------------------|----------------------------------|----------------------------------|
| <b>Classic Racing Oil 15W-50</b> | <b>Classic Multigrade 20W-50</b> | <b>Classic Multigrade 15W-40</b> |

Kontroller alle 500 km, skift alle 10000 km/ 12 måneder

| ANVEND | KLIMA |
|--------|-------|
| Normal | Koldt |

| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2              | PRODUKTANBEFALING 3 |
|----------------------|----------------------------------|---------------------|
| <b>Asyntho 5W-30</b> | <b>Classic Multigrade 10W-30</b> |                     |

Kontroller alle 500 km, skift alle 10000 km/ 12 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

| PRODUKTANBEFALING 1              | PRODUKTANBEFALING 2              | PRODUKTANBEFALING 3              |
|----------------------------------|----------------------------------|----------------------------------|
| <b>Classic Racing Oil 15W-50</b> | <b>Classic Multigrade 20W-50</b> | <b>Classic Multigrade 15W-40</b> |

Skift alle 5000 km

| ANVEND   | KLIMA |
|----------|-------|
| Krævende | Koldt |

| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2              | PRODUKTANBEFALING 3 |
|----------------------|----------------------------------|---------------------|
| <b>Asyntho 5W-30</b> | <b>Classic Multigrade 10W-30</b> |                     |

Skift alle 5000 km

## DIFFERENTIALE BAG

Kapacitet: 1,3 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1       | PRODUKTANBEFALING 2 | PRODUKTANBEFALING 3 |
|---------------------------|---------------------|---------------------|
| <b>Classic Gear MP 90</b> |                     |                     |

Kontroller alle 20000 km/ 24 måneder

# MERCEDES-BENZ (EU) S-KLASSE W116 / 126 500 SEL 126.037 (1980-1981)



## GEAR AUTOMATISK 722.3xx 4/1

Kapacitet: 7,7 liter (Servicepåfyldning), Kapacitet: 8,6 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**ATF Dexron II-D**

Kontroller alle 20000 km/ 24 måneder, skift alle 60000 km

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**ATF Dexron II-D**

Skift alle 30000 km

## SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Gear LS 90**

Kontroller alle 20000 km/ 24 måneder

## HYDRAULISK NIVELLERINGSSYSTEM

Kapacitet: 4,7 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

## HYDRAULISK BREMSE- & KOBLINGSSYSTEM

Kapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid-S DOT 4**

Kontroller alle 500 km, skift alle 12 måneder

## SERVOSTYRING

Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic ATF A**

Kontroller alle 20000 km/ 24 måneder

# MERCEDES-BENZ (EU) S-KLASSE W116 / 126 500 SEL 126.037 (1980-1981)



## KØLESYSTEM

Kapacitet: 13,5 liter

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Coolant SP 11**

*Kontroller alle 500 km, skift alle 24 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*