

MITSUBISHI (EU) COLT COLT 1000 A20 (1963-1966)



MOTOR KE43

Kapacitet: 3 liter, Filterkapacitet: 0,5 liter

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 3000 km

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

Skift alle 3000 km

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 1500 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

Skift alle 1500 km

DIFFERENTIALE BAG

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Skift alle 12000 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Skift alle 3000 km

MITSUBISHI (EU) COLT COLT 1000 A20 (1963-1966)



GEAR MANUEL 4/1

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear ZC 90		

Skift alle 12000 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
Classic Gear ZC 90		

Skift alle 3000 km

HYDRAULISK BREMSESYSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 1500 km, skift alle 12000 km

HYDRAULISK KOBLINGSSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 1500 km, skift alle 12000 km

SMØREPUNKTER/NIPLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 3000 km

MITSUBISHI (EU) COLT COLT 1000 A20 (1963-1966)



SMØREPUNKTER/NIPLER HJULLEJER FOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2*Skift alle 3000 km*

KØLESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

STYRETØJ

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear ZC 90

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.