

SUBARU (EU) LEONE/L-SERIE LEONE 1600 (1979-1984)



MOTOR EA71

Kapacitet: 3,5 liter, Kapacitet: 4 liter (med automatisk kraftoverføring)

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Classic Monograde 50		

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Classic Multigrade 20W-50	Classic Monograde 30	

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 15W-40	Classic Multigrade 10W-30

Skift alle 10000 km/ 6 måneder

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1		
Classic Monograde 50		

Skift alle 1500 km

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Classic Multigrade 20W-50	Classic Monograde 30	

Skift alle 1500 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 15W-40	Classic Multigrade 10W-30

Skift alle 1500 km

SUBARU (EU) LEONE/L-SERIE LEONE 1600 (1979-1984)



DIFFERENTIALE FRA EN AUTOMATISK

Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

Kontroller alle 10000 km/ 6 måneder, skift alle 40000 km/ 24 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

Skift alle 1500 km

GEAR AUTOMATISK 3/1

Kapacitet: 5,6-6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Kontroller alle 10000 km/ 6 måneder, skift alle 40000 km/ 24 måneder

TRANSAKSEL MANUEL 4/1

Kapacitet: 2,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Kontroller alle 10000 km/ 6 måneder, skift alle 40000 km/ 24 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Skift alle 1500 km

SUBARU (EU) LEONE/L-SERIE LEONE 1600 (1979-1984)



TRANSAXSEL MANUEL 5/1

Kapacitet: 2,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Kontroller alle 10000 km/ 6 måneder, skift alle 40000 km/ 24 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Skift alle 1500 km

HYDRAULISK BREMSESYSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Skift alle 20000 km/ 12 måneder

SMØREPUNKTER/NIPLER HJULLEJER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Skift alle 40000 km/ 24 måneder

KØLESYSTEM

Kapacitet: 5,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Skift alle 40000 km/ 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.