PRODUCT RECOMMENDATION

# TOYOTA COROLLA E COROLLA 1600 (62 KW) LIFTBACK/SPORTSWAGON TE5 (1976-1979)

## ENGINE 2T-B
Capacity: 4,1 liter, Filter capacity: 0,9 liter

| USE | CLIMATE |
|---|---|
| Normal | Mediterranean |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Racing Oil 15W-50** | **Classic Multigrade 20W-50** | |

*Change every 1000 km*

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Multigrade 15W-40** | **Classic Multigrade 10W-30** | |

*Change every 1000 km*

| USE | CLIMATE |
|---|---|
| Initial service | Mediterranean |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Racing Oil 15W-50** | **Classic Multigrade 20W-50** | |

*Change every 10000 km/ 6 months*

| USE | CLIMATE |
|---|---|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Classic Multigrade 15W-40** | **Classic Multigrade 10W-30** | |

*Change every 10000 km/ 6 months*

## DIFFERENTIAL REAR
Capacity: 1 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear MP 90** | | |

*Check every 10000 km/ 6 months, change every 40000 km/ 24 months*

| USE | CLIMATE |
|---|---|
| Normal | Arctic |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Gearlube RPC 75W-80** | **SP Gear 5015** | |

*Check every 10000 km/ 6 months, change every 40000 km/ 24 months*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# TOYOTA COROLLA E COROLLA 1600 (62 KW) LIFTBACK/SPORTSWAGON TE5 (1976-1979)

## TRANSMISSION AUTOMATIC 3/1
Capacity: 6,3 liter (Dry fill), Capacity: 2,4 liter (Service fill)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic ATF F** | | |

*Check every 10000 km/ 6 months, change every 40000 km/ 24 months*

## TRANSMISSION MANUAL 4/1
Capacity: 1,7 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 90** | | |

*Check every 10000 km/ 6 months, change every 40000 km/ 24 months*

## TRANSMISSION MANUAL 5/1
Capacity: 1,5 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Classic Gear EP 90** | | |

*Check every 10000 km/ 6 months, change every 40000 km/ 24 months*

## HYDRAULIC BRAKE SYSTEM
Capacity: 0-0 liter (Between min and max.)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Drauliquid DOT 3** | | |

*Change every 20000 km/ 12 months*

## HYDRAULIC CLUTCH SYSTEM
Capacity: 0-0 liter (Between min and max.)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **Drauliquid DOT 3** | | |

*Change every 20000 km/ 12 months*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# TOYOTA COROLLA E COROLLA 1600 (62 KW) LIFTBACK/SPORTSWAGON TE5 (1976-1979)

## GREASE POINTS/NIPPLES

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| **MoS2 Grease EP 2** | | |

*Change every 40000 km/ 24 months*

## WHEEL BEARINGS

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

*Change every 40000 km/ 24 months*

## COOLING SYSTEM
Capacity: 7,9 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| **Coolant -38 Organic NF** | **Coolant -26** | |

*Change every 20000 km/ 12 months*

## STEERING BOX
Capacity: 0,21 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| **Classic Gear EP 90** | | |

*Check every 20000 km/ 12 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367