## **VAUXHALL VIVA VIVA LC HA20** (1963-1966)



ENGINE Capacity: 3,6 liter (Dry fill), Capacity: 3,3 liter (Service fill), Filter capacity: 0,3 liter				
USE		CLIMATE		
Normal		Mediterranean		
PRODUCT RECOMMENDATION 1				
Classic Multigrade 10W-30				
Check every 750 km, change every 5000 km	km/ 3 months			
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Classic Monograde 30				
Check every 750 km, change every 5000 l	km/ 3 months			
USE		CLIMATE		
Initial service		Mediterranean		
PRODUCT RECOMMENDATION 1				
Classic Multigrade 10W-30				
Change every 1500 km				
USE		CLIMATE		
Initial service		Moderate		
PRODUCT RECOMMENDATION 1				
Classic Monograde 30				
Change every 1500 km				
AXLE REAR Capacity: 0,7 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Classic Gear EP 90				
Check every 20000 km/ 12 months				
USE		CLIMATE		
Normal		Arctic		
PRODUCT RECOMMENDATION 1				
Classic Gear EP 80				
Check every 20000 km/ 12 months				

## **VAUXHALL VIVA VIVA LC HA20** (1963-1966)



TRANSMISSION MANUAL 4/1 Capacity: 0,6 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Classic Gear EP 80	
Check every 20000 km/ 12 months	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
Drauliquid DOT 3				
Check every 5000 km/ 3 months	'			

GREASE POINTS/NIPPLES			
USE	CLIMATE		
Normal	Moderate		
PRODUCT RECOMMENDATION 1			
MoS2 Grease EP 2			
Change every 50000 km/ 30 months	<u>'</u>		

WHEEL BEARINGS FRONT		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

COOLING SYSTEM Capacity: 6 liter, Capacity: 6,5 liter (+ heater)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Coolant -38 Organic NF	Coolant -26			

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.