

VOLKSWAGEN (VW) (EU)

TRANSPORTER/TYPE 2 T1/T2

TRANSPORTER/BUS T1 (1950-1953)



MOTOR

Kapacitet: 2,5 liter (Servicepåfyldning)

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

Skift alle 2000 km

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 2000 km

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

HDX 10W

Skift alle 2000 km

ANVEND

Første Service

KLIMA

Tropisk

PRODUKTANBEFALING 1

Classic Multigrade 10W-30

Skift alle 500 km

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Monograde 30

Skift alle 500 km

ANVEND

Første Service

KLIMA

Arktisk

PRODUKTANBEFALING 1

HDX 10W

Skift alle 500 km

VOLKSWAGEN (VW) (EU)

TRANSPORTER/TYPE 2 T1/T2

TRANSPORTER/BUS T1 (1950-1953)



BAGHJULSREDUKTIONER

Kapacitet: 0,25 liter (hver side)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear EP 90		

Kontroller alle 4000 km, skift alle 12000 km

TRANSAKSEL MANUEL 4/1

Kapacitet: 2-2,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear EP 90		

Kontroller alle 4000 km, skift alle 12000 km

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
Classic Gear EP 90		

Skift alle 500 km

HJULLEJER FOR

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	

Skift alle 4000 km

SMØREPUNKTER/NIPLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	

Skift alle 2000 km

VOLKSWAGEN (VW) (EU)

TRANSPORTER/TYPE 2 T1/T2

TRANSPORTER/BUS T1 (1950-1953)



STYREHUS

Kapacitet: 0,25 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Kontroller alle 4000 km

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear EP 90

Kontroller alle 500 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.