

PRODUCT RECOMMENDATION

# VOLKSWAGEN (VW) (EU) K 70 K 70 LS 1.8 (74 KW) (1973-1975)



## ENGINE

Capacity: 4 liter, Filter capacity: 0,5 liter

USE	CLIMATE
Normal	Mediterranean

### PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30**

*Change every 10000 km/ 6 months*

USE	CLIMATE
Normal	Moderate

### PRODUCT RECOMMENDATION 1

**Classic Racing Oil 15W-50**

### PRODUCT RECOMMENDATION 2

**Classic Multigrade 20W-50**

### PRODUCT RECOMMENDATION 3

**Classic Multigrade 15W-40**

*Change every 10000 km/ 6 months*

USE	CLIMATE
Normal	Arctic

### PRODUCT RECOMMENDATION 1

**Asyntho 5W-30**

*Change every 10000 km/ 6 months*

USE	CLIMATE
Severe	Mediterranean

### PRODUCT RECOMMENDATION 1

**Classic Multigrade 10W-30**

*Change every 5000 km/ 6 months*

USE	CLIMATE
Severe	Moderate

### PRODUCT RECOMMENDATION 1

**Classic Racing Oil 15W-50**

### PRODUCT RECOMMENDATION 2

**Classic Multigrade 20W-50**

### PRODUCT RECOMMENDATION 3

**Classic Multigrade 15W-40**

*Change every 5000 km/ 6 months*

USE	CLIMATE
Severe	Arctic

### PRODUCT RECOMMENDATION 1

**Asyntho 5W-30**

*Change every 5000 km/ 6 months*

USE	CLIMATE
Cold climate	Arctic

### PRODUCT RECOMMENDATION 1

**Asyntho 5W-30**

### PRODUCT RECOMMENDATION 2

**Classic Monograde 30**

*Change every 2500 km*

# VOLKSWAGEN (VW) (EU) K 70 K 70 LS 1.8 (74 KW) (1973-1975)



## DIFFERENTIAL FRONT

Capacity: 0,4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Classic Gear MP 90***Change every 30000 km*

## TRANSMISSION MANUAL 4/1

Capacity: 1,4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Classic Gear MP 90***Change every 30000 km*

## HYDRAULIC BRAKE SYSTEM

Capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 24 months*

## COOLING SYSTEM

Capacity: 7,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant -38 Organic NF**

PRODUCT RECOMMENDATION 2

**Coolant -26***Change every 24 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.