

VOLKSWAGEN (VW) (EU) TRANSPORTER / TYPE 2 T1/T2 TRANSPORTER/BUS (22 KW) T1 (1954-1956)

**ENGINE**

Capacity: 2,5 liter (Service fill)

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1

Classic Multigrade 10W-30*Change every 2000 km*

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Monograde 30*Change every 2000 km*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1

HDX 10W*Change every 2000 km*

USE	CLIMATE
Initial service	Tropical

PRODUCT RECOMMENDATION 1

Classic Multigrade 10W-30*Change every 500 km*

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1

Classic Monograde 30*Change every 500 km*

USE	CLIMATE
Initial service	Arctic

PRODUCT RECOMMENDATION 1

HDX 10W*Change every 500 km*

VOLKSWAGEN (VW) (EU) TRANSPORTER / TYPE 2 T1/T2 TRANSPORTER/BUS (22 KW) T1 (1954-1956)



REAR WHEEL REDUCTIONS

Capacity: 0,25 liter (each side)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Check every 4000 km, change every 12000 km*

TRANSAXLE MANUAL 4/1

Capacity: 2-2,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Check every 4000 km, change every 12000 km*

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Change every 500 km*

GREASE POINTS/NIPPLES

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Q5 MP Calcep Grease EP 2

PRODUCT RECOMMENDATION 2

MP Lithep Grease EP 2*Change every 2000 km*

WHEEL BEARINGS FRONT

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Q5 MP Calcep Grease EP 2

PRODUCT RECOMMENDATION 2

MP Lithep Grease EP 2*Change every 4000 km*

VOLKSWAGEN (VW) (EU) TRANSPORTER / TYPE 2 T1/T2 TRANSPORTER/BUS (22 KW) T1 (1954-1956)

**STEERING BOX**

Capacity: 0,25 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Check every 4000 km*

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1

Classic Gear EP 90*Check every 500 km*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.