

# VOLVO (EU) 260 264 GL (1980-1982)



## MOTOR B28A

Kapacitet: 6,5 liter, Filterkapacitet: 0,5 liter

| ANVEND | KLIMA            |
|--------|------------------|
| Normal | Middelhavsagtigt |

| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         |  |
|-----------------------------|-----------------------------|--|
| <b>Classic Monograde 50</b> | <b>Classic Monograde 30</b> |  |

Skift alle 10000 km/ 12 måneder

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2              | PRODUKTANBEFALING 3              |
|----------------------|----------------------------------|----------------------------------|
| <b>Asyntho 5W-30</b> | <b>Classic Racing Oil 15W-50</b> | <b>Classic Multigrade 20W-50</b> |

Skift alle 10000 km/ 12 måneder

| ANVEND   | KLIMA            |
|----------|------------------|
| Krævende | Middelhavsagtigt |

| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         |  |
|-----------------------------|-----------------------------|--|
| <b>Classic Monograde 50</b> | <b>Classic Monograde 30</b> |  |

Skift alle 5000 km/ 6 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2              | PRODUKTANBEFALING 3              |
|----------------------|----------------------------------|----------------------------------|
| <b>Asyntho 5W-30</b> | <b>Classic Racing Oil 15W-50</b> | <b>Classic Multigrade 20W-50</b> |

Skift alle 5000 km/ 6 måneder

## DIFFERENTIALE BAG

Kapacitet: 1,6 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1       |  |  |
|---------------------------|--|--|
| <b>Classic Gear MP 90</b> |  |  |

Kontroller alle 10000 km

## GEAR AUTOMATISK BW55 3/1

Kapacitet: 6,75 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1  |  |  |
|----------------------|--|--|
| <b>Classic ATF F</b> |  |  |

Kontroller alle 10000 km

# VOLVO (EU) 260 264 GL (1980-1982)



## GEAR MANUEL M45 4/1

Kapacitet: 0,75 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic ATF F**

*Kontroller alle 10000 km, skift alle 40000 km*

## GEAR MANUEL + OVERGEAR M46 5/1

Kapacitet: 2,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic ATF F**

*Kontroller alle 10000 km, skift alle 40000 km*

## SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Gear LS 90**

*Kontroller alle 10000 km*

## HYDRAULISK BREMSESYSTEM

Kapacitet: 0,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid-S DOT 4**

*Skift alle 36 måneder*

## HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid-S DOT 4**

# VOLVO (EU) 260 264 GL (1980-1982)



## SERVOSTYRING

Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**ATF Dexron II-D**

PRODUKTANBEFALING 2

**Classic ATF A**

PRODUKTANBEFALING 3

**Classic ATF F**

*Kontroller alle 10000 km*

## KØLESYSTEM

Kapacitet: 10,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant -38 Organic NF**

PRODUKTANBEFALING 2

**Coolant -26**

*Skift alle 24 måneder*

## KARBURATORSPJÆLD

Kapacitet: 0-0 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Classic Multigrade 15W-40**

*Kontroller alle 10000 km*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.