

VOLVO (EU) P1800 1800ES (1971-1973)



MOTOR B20E
Kapacitet: 3,8 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Classic Multigrade 20W-50		

Skift alle 10000 km/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Racing Oil 15W-50	Classic Multigrade 15W-40	Classic Multigrade 10W-30

Skift alle 10000 km/ 12 måneder

ANVEND	KLIMA
Alternativ (acceptabel)	Tropisk

PRODUKTANBEFALING 1		
Classic Multigrade 10W-30		

Skift alle 5000 km/ 6 måneder

ANVEND	KLIMA
Alternativ (acceptabel)	Middelhavsagtigt

PRODUKTANBEFALING 1		
Classic Monograde 30		

Skift alle 5000 km/ 6 måneder

DIFFERENTIALE BAG
Kapacitet: 1,3 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Classic Gear EP 90		

Kontroller alle 10000 km

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Classic Gear EP 80		

Kontroller alle 10000 km

VOLVO (EU) P1800 1800ES (1971-1973)



GEAR MANUEL + OVERGEAR M41 5/1

Kapacitet: 1,8 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Classic Multigrade 15W-40	Classic Multigrade 10W-30	Classic Monograde 30

Kontroller alle 10000 km, skift alle 40000 km

GEAR MANUEL + OVERGEAR M410 5/1

Kapacitet: 1,4 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Classic Gear EP 90		

Kontroller alle 10000 km, skift alle 40000 km

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Classic Gear EP 80		

Kontroller alle 10000 km, skift alle 40000 km

SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,3 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Classic Gear LS 90		

HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Kontroller alle 10000 km, skift alle 60000 km/ 36 måneder

VOLVO (EU) P1800 1800ES (1971-1973)



KØLESYSTEM

Kapacitet: 8,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

STYREHUS

Kapacitet: 0,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Classic Gear MP 90

PRODUKTANBEFALING 2

Gearlube RPC 75W-80

PRODUKTANBEFALING 3

SP Gear 5015

Kontroller alle 10000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.