PRODUCT RECOMMENDATION

# ISEKI TM TM3200FH SME/SMRE ISEKI E3112-G03

**ENGINE** E3112-G03
Capacity: 2,7 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Tropical |
| PRODUCT RECOMMENDATION 1 | | |
| **Multifleet SCD 30** | | |

*Check every 10 hours, change every 150 hours*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | | |
| **Multifleet SCD 20W-20** | | |

*Check every 10 hours, change every 150 hours*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| **Kroontrak MTH 10W-30** | **Multifleet SHPD 10W-40** | |

*Check every 10 hours, change every 150 hours*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Arctic |
| PRODUCT RECOMMENDATION 1 | | |
| **Multifleet SCD 10W** | | |

*Check every 10 hours, change every 150 hours*

| USE | | CLIMATE |
|---|---|---|
| First change only | | Tropical |
| PRODUCT RECOMMENDATION 1 | | |
| **Multifleet SCD 30** | | |

*Change every 50 hours*

| USE | | CLIMATE |
|---|---|---|
| First change only | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | | |
| **Multifleet SCD 20W-20** | | |

*Change every 50 hours*

| USE | | CLIMATE |
|---|---|---|
| First change only | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| **Kroontrak MTH 10W-30** | **Multifleet SHPD 10W-40** | |

*Change every 50 hours*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# ISEKI TM TM3200FH SME/SMRE ISEKI E3112-G03

| USE | | CLIMATE |
|---|---|---|
| First change only | | Arctic |
| PRODUCT RECOMMENDATION 1 | | |
| **Multifleet SCD 10W** | | |
| *Change every 50 hours* | | |

## DIFFERENTIAL FRONT
Capacity: 2,7 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Agrifluid HT-Plus** | **SP Gear 5015** | **Gearlube GL-4 80W** |
| *Check every 50 hours, change every 300 hours* | | |

## TRANSAXLE HYDROSTATIC
Capacity: 14 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Agrifluid HT-Plus** | **Kroontrak MTH 10W-30** | **Agrifluid HT** |
| *Check every 10 hours, change every 200 hours* | | |

| USE | | CLIMATE |
|---|---|---|
| First change only | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Agrifluid HT-Plus** | **Kroontrak MTH 10W-30** | **Agrifluid HT** |
| *Change every 50 hours* | | |

## GREASE POINTS/NIPPLES

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |
| *Change every 50 hours* | | |

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# ISEKI TM TM3200FH SME/SMRE ISEKI E3112-G03

**COOLING SYSTEM**
Capacity: 7,1 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Coolant -38 Organic NF** | **Coolant -26** | |

*Check every 10 hours, change every 12 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367