

KRONE BIG X BIG X 700-1 812.922->833.721 (2010-2012)



MOTOR MAN D2868

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrisynth LSP 10W-40

PRODUKTANBEFALING 2

Armado Synth 5W-30

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrisynth LSP 10W-40

PRODUKTANBEFALING 2

Armado Synth 5W-30

Skift alle 50 timer

KRAFTOVERFØRING

Kapacitet: 15 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

Kontroller alle 100 timer, skift alle 1000 timer

LAVERE TROMLE GEAR

Kapacitet: 2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 100 timer, skift alle 1000 timer

LAVERE TROMLE GEAR ØVERSTE TÅRN

Kapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 100 timer, skift alle 1000 timer

KRONE BIG X BIG X 700-1 812.922->833.721 (2010-2012)



REDUKTIONSGEARKASSE

Kapacitet: 8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

Kontroller alle 250 timer, skift alle 500 timer

ANVEND	KLIMA
Første skift kun	Moderat

PRODUKTANBEFALING 1

Abacot MEP Synth 220

Skift alle 100 timer

TÅRN GEARKASSE PÅ DEN ØVERSTE AFLEDNINGSRENDE

Kapacitet: 1 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 100 timer, skift alle 1000 timer

VENTILATORGEAR

Kapacitet: 1,7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 100 timer, skift alle 1000 timer

ØVERSTE VALSEGEAR

Kapacitet: 3,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 100 timer, skift alle 1000 timer

KRONE BIG X BIG X 700-1 812.922->833.721 (2010-2012)



HYDRAULISK SYSTEM

Kapacitet: 150 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

KØLESYSTEM

Kapacitet: 90 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

Kontroller alle 10 timer, skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.