

LANDINI POWERLIFT POWERLIFT 150 (2009-2015)



MOTOR Sisu 44.276 EWA
Kapacitet: 11 liter, Filterkapacitet: 0,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Agridiesel CRD+ 15W-40	Multifleet SHPD 15W-40	

Kontroller alle 10 timer, skift alle 500 timer

DIFFERENTIALE BAG
Kapacitet: 10,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT-Plus		

Kontroller alle 100 timer, skift alle 500 timer

DIFFERENTIALE FOR
Kapacitet: 10,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT-Plus		

Kontroller alle 100 timer, skift alle 500 timer

GEAR HYDROSTATISK
Kapacitet: 35 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT-Plus		

Kontroller alle 100 timer, skift alle 500 timer

KRAFTOVERFØRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Kontroller alle 10 timer, skift alle 1000 timer

LANDINI POWERLIFT POWERLIFT 150 (2009-2015)



NAVREDUKTIONER BAG

Kapacitet: 1,3 liter (hver side)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Kontroller alle 100 timer, skift alle 500 timer

NAVREDUKTIONER FOR

Kapacitet: 1,3 liter (hver side)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Kontroller alle 100 timer, skift alle 500 timer

HYDRAULISK SYSTEM

Kapacitet: 65 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Agrifluid HT-Plus		

Kontroller alle 10 timer, skift alle 1000 timer

HYDRAULISK BREMSESYSTEM

Kapacitet: 0,25-0,5 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Agrifluid HT-Plus		

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 50 timer

LANDINI POWERLIFT POWERLIFT 150 (2009-2015)



KØLESYSTEM

Kapacitet: 18 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 11

Kontroller alle 10 timer, skift alle 2000 timer

TELESKOPISK ARM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Compound OGL EP 0/1

Skift alle 50 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.