

MASSEY FERGUSON 7400 7485 DYNAV TIER III (2007-2012)



MOTOR Sisu 66CTA
Kapacitet: 21 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrisynth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Agrisynth LSP 10W-40

PRODUKTANBEFALING 3

Armado Synth LSP Ultra 10W-40

Kontroller alle 10 timer, skift alle 400 timer

DIFFERENTIALE FOR

Kapacitet: 9 liter, Kapacitet: 8,5 liter (Affjedret foraksel)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

PRODUKTANBEFALING 2

Unigear LS GL-3/GL-5 85W-140

Kontroller alle 400 timer, skift alle 800 timer

NAVREDUKTIONER BAG

Kapacitet: 13 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 400 timer, skift alle 1200 timer

NAVREDUKTIONER FOR HD

Kapacitet: 0,8 liter, Kapacitet: 0,6 liter (Affjedret foraksel)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

PRODUKTANBEFALING 2

Unigear LS GL-3/GL-5 85W-140

Kontroller alle 400 timer, skift alle 800 timer

TRANSAKSEL

Kapacitet: 47-58 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Kroontrak CVT 10W-40

Kontroller alle 10 timer, skift alle 2000 timer

MASSEY FERGUSON 7400 7485 DYNAV TIER III (2007-2012)



HYDRAULISK SYSTEM

Kapacitet: 100 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Kroontrak CVT 10W-40

Kontroller alle 400 timer, skift alle 1200 timer

KOBLINGSHUS

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

Kontroller alle 400 timer, skift alle 2000 timer

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Multi Purpose Grease 3

Kontroller alle 50 timer

ANVEND

Normal

KLIMA

Middelhavssagtigt

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Kontroller alle 50 timer

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

Gear Grease EP 1

Kontroller alle 50 timer

MASSEY FERGUSON 7400 7485 DYNAV TIER III (2007-2012)



KØLESYSTEM

Kapacitet: 28,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Kontroller alle 400 timer, skift alle 1200 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.