

**MASSEY FERGUSON 8000 8590 (1986-1992)****ENGINE**

Capacity: 23,7 liter

**USE**

Normal

**CLIMATE**

Mediterranean

**PRODUCT RECOMMENDATION 1****Multifleet SHPD 15W-40****PRODUCT RECOMMENDATION 2****Multifleet SHPD 20W-50***Check every 10 hours, change every 250 hours/ 12 months***USE**

Normal

**CLIMATE**

Arctic

**PRODUCT RECOMMENDATION 1****Kroontrak MTH 10W-30****PRODUCT RECOMMENDATION 2****Multifleet SHPD 10W-40***Check every 10 hours, change every 250 hours/ 12 months***GEARBOX**

Capacity: 2 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Unigear HS GL-3/GL-5 80W-90***Check every 50 hours, change every 500 hours/ 12 months***HUB REDUCTIONS FRONT**

Capacity: 5,2 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Unigear HS GL-3/GL-5 80W-90***Check every 1 months, change every 500 hours***HUB REDUCTIONS REAR**

Capacity: 0,5 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Unigear HS GL-3/GL-5 80W-90***Check every 1 months, change every 500 hours*

**MASSEY FERGUSON 8000 8590 (1986-1992)****ROTOR TRANSMISSION 3/3**

Capacity: 3 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Unigear HS GL-3/GL-5 80W-90***Check every 50 hours, change every 500 hours/ 12 months***TRANSMISSION MANUAL 3/3**

Capacity: 7,6 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Unigear HS GL-3/GL-5 80W-90***Check every 50 hours, change every 500 hours/ 12 months***HYDRAULIC SYSTEM**

Capacity: 155 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Agrifluid Synth XHP Ultra****PRODUCT RECOMMENDATION 2****Agrifluid HT-Plus***Check every 10 hours, change every 2000 hours***GREASE POINTS/NIPPLES****USE**

Normal

**CLIMATE**

Tropical

**PRODUCT RECOMMENDATION 1****Multi Purpose Grease 3****USE**

Normal

**CLIMATE**

Mediterranean

**PRODUCT RECOMMENDATION 1****Labora Grease****PRODUCT RECOMMENDATION 2****Q5 MP Calcep Grease EP 2****PRODUCT RECOMMENDATION 3****MP Lithep Grease EP 2****USE**

Normal

**CLIMATE**

Cold

**PRODUCT RECOMMENDATION 1****Gear Grease EP 1**

**MASSEY FERGUSON 8000 8590 (1986-1992)****GREASE POINTS/NIPPLES WHEEL BEARINGS REAR**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Tropical |

PRODUCT RECOMMENDATION 1

**Multi Purpose Grease 3***Change every 500 hours/ 12 months*

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

PRODUCT RECOMMENDATION 1

**Labora Grease**

PRODUCT RECOMMENDATION 2

**Q5 MP Calcep Grease EP 2**

PRODUCT RECOMMENDATION 3

**MP Lithep Grease EP 2***Change every 500 hours/ 12 months*

| USE    | CLIMATE |
|--------|---------|
| Normal | Cold    |

PRODUCT RECOMMENDATION 1

**Gear Grease EP 1***Change every 500 hours/ 12 months***COOLING SYSTEM**

Capacity: 44,9 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant -38 Organic NF**

PRODUCT RECOMMENDATION 2

**Coolant -26***Check every 10 hours, change every 2000 hours/ 12 months***CHAINS**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Multifleet SCD 30**

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.