PRODUCT RECOMMENDATION

MASSEY FERGUSON 8600 MF 8640 (2009-2011)

ENGINE Sisu 84CTA Capacity: 21 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Agrisynth LSP Ultra 10W-40**	PRODUCT RECOMMENDATION 2 **Agrisynth LSP 10W-40**	PRODUCT RECOMMENDATION 3 **Armado Synth LSP Ultra 10W-40**
Check every 10 hours, change every 400 hours		

DIFFERENTIAL FRONT Capacity: 14,5 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Gearlube GL-5 80W-90**	PRODUCT RECOMMENDATION 2 **Unigear HS GL-3/GL-5 80W-90**	
Check every 400 hours, change every 800 hours		

DIFFERENTIAL FRONT SUSPENDED FRONT AXLE Capacity: 14,5 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Gearlube GL-5 80W-90**	PRODUCT RECOMMENDATION 2 **Unigear HS GL-3/GL-5 80W-90**	
Check every 400 hours, change every 800 hours		

HUB REDUCTIONS FRONT Capacity: 7 liter (each hub)		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Gearlube GL-5 80W-90**	PRODUCT RECOMMENDATION 2 **Unigear HS GL-3/GL-5 80W-90**	
Check every 400 hours, change every 800 hours		

HUB REDUCTIONS REAR Capacity: 14 liter (each hub)		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Gearlube GL-5 85W-140**	PRODUCT RECOMMENDATION 2 **Unigear LS GL-3/GL-5 85W-140**	
Check every 400 hours, change every 2000 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

MASSEY FERGUSON 8600 MF 8640 (2009-2011)

TRANSAXLE Dyna-VT Capacity: 85 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Kroontrak CVT 10W-40**		
Check every 400 hours, change every 2000 hours		

HYDRAULIC SYSTEM Capacity: 110 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Kroontrak CVT 10W-40**		
Check every 10 hours, change every 1200 hours		

HYDRAULIC CLUTCH SYSTEM Capacity: 0,6 liter		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **SP Fluid 3013**		
Check every 10 hours, change every 2000 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

MASSEY FERGUSON 8600 MF 8640 (2009-2011)

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1		
Multi Purpose Grease 3		
Change every 50 hours		

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	**Q5 MP Calcep Grease EP 2**	**MP Lithep Grease EP 2**
Change every 50 hours		

USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Gear Grease EP 1		
Change every 50 hours		

COOLING SYSTEM
Capacity: 34 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	**Coolant SP 12**	**Coolant -38 Organic NF**
Check every 10 hours, change every 1200 hours		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367