

**RENAULT RS 68-12 RS (1984-1990)****ENGINE MWM D 227-4**

Capacity: 10,3 liter

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Kroontrak MTH 10W-30***Check every 10 hours, change every 100 hours***POWER TAKE OFF FRONT**

Capacity: 0,5 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

**TRANSAXLE/HYDRAULIC SYSTEM**

Capacity: 56 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

**HYDRAULIC BRAKE SYSTEM**

Capacity: 0,9 liter

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4**

## PRODUCT RECOMMENDATION 2

**Drauliquid-S DOT 4***Change every 600 hours/ 12 months***GREASE POINTS/NIPPLES OTHERS**

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Q5 MP Calcep Grease EP 2**

## PRODUCT RECOMMENDATION 2

**MP Lithep Grease EP 2***Check every 50 hours***GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT**

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Q5 MP Calcep Grease EP 2**

## PRODUCT RECOMMENDATION 2

**MP Lithep Grease EP 2***Check every 200 hours*

**RENAULT RS 68-12 RS (1984-1990)****COOLING SYSTEM**

Capacity: 13,5 liter

USE	CLIMATE
Normal	Moderate

**PRODUCT RECOMMENDATION 1****Coolant SP 16***Change every 600 hours/ 12 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*