# **RENAULT RS 68-14 RS** (1984-1990)



ENGINE MWM D 227-4 Capacity: 11,3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Kroontrak MTH 10W-30	
	·

Check every 10 hours, change every 100 hours

### **DIFFERENTIAL FRONT** (4x4)

Capacity: 3,55 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

## **HUB REDUCTIONS FRONT** (4x4)

Capacity: 0,9 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

## **POWER TAKE OFF FRONT**

Capacity: 0,5 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

## TRANSAXLE/HYDRAULIC SYSTEM

Capacity: 58 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

	CLIMATE	
	Moderate	
PRODUCT RECOMMENDATION 2		
Drauliquid-S DOT 4		
		PRODUCT RECOMMENDATION 2

Change every 600 hours/ 12 months

GREASE POINTS/NIPPLES OTHERS				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2			
Check every 50 hours				

# **RENAULT RS 68-14 RS** (1984-1990)



COOLING SYSTEM Capacity: 13,5 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 16	
Change every 600 hours/ 12 months	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.