

MERCEDES-BENZ (EU) ATEGO EURO 3

ATEGO 1518 L EURO 3 (2001-2006)



ENGINE OM904LA III/5; Euro 3
Capacity: 15,8 liter

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 Armado Synth LSP Ultra 5W-30	PRODUCT RECOMMENDATION 2 Armado Synth LSP Ultra 10W-40	PRODUCT RECOMMENDATION 3 Armado Synth LSP 10W-40
--	---	---

Change every 12 months

DIFFERENTIAL REAR HYPOID MB HL4

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 SP Gear 1011	PRODUCT RECOMMENDATION 2 Syngear TDL 75W-90	PRODUCT RECOMMENDATION 3 Gearlube GL-5 80W-90
--	--	--

Change every 12 months

TRANSMISSION AUTOMATIC Allison WT-MD 3060 6/1

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 SP Matic 4026	PRODUCT RECOMMENDATION 2 SP Matic 2032	PRODUCT RECOMMENDATION 3 ATF Almirol
---	---	---

Change every 60000 km

TRANSMISSION MANUAL MB G 60-6 6/1

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 Gearlube GL-4 80W		
---	--	--

Change every 12 months

MERCEDES-BENZ (EU) ATEGO EURO 3

ATEGO 1518 L EURO 3 (2001-2006)



HYDRAULIC ACTUATION GEARBOX

USE		CLIMATE
Black reservoir cap		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Change every 36 months

USE		CLIMATE
Green reservoir cap		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

HYDRAULIC CAB TILT SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 15		

HYDRAULIC SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 15		

Change every 12 months

HYDRAULIC CLUTCH SYSTEM

USE		CLIMATE
Black reservoir cap		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Change every 36 months

USE		CLIMATE
Green reservoir cap		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

MERCEDES-BENZ (EU) ATEGO EURO 3

ATEGO 1518 L EURO 3 (2001-2006)



POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	SP Matic 2032	

GREASE POINTS/NIPPLES

We are unable to give a standard recommendation for this component. Please contact our service department.

GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT

We are unable to give a standard recommendation for this component. Please contact our service department.

COOLING SYSTEM

Capacity: 19 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 11	

Change every 36 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.