PRODUCT RECOMMENDATION

MERCEDES-BENZ (EU) ATEGO EURO 3
ATEGO 712 EURO 3 (2001-2006)

ENGINE OM904LA III/1; Euro 3
Capacity: 15,8 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	**PRODUCT RECOMMENDATION 2**	**PRODUCT RECOMMENDATION 3**
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth LSP 10W-40**

Change every 12 months

DIFFERENTIAL REAR HYPOID MB HL2

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	**PRODUCT RECOMMENDATION 2**	**PRODUCT RECOMMENDATION 3**
SP Gear 1011	**Syngear TDL 75W-90**	**Gearlube GL-5 80W-90**

Change every 12 months

TRANSMISSION AUTOMATIC Allison WT-MD 3060 6/1

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	**PRODUCT RECOMMENDATION 2**	**PRODUCT RECOMMENDATION 3**
SP Matic 4026	**SP Matic 2032**	**ATF Almirol**

Change every 60000 km

TRANSMISSION MANUAL MB G 60-6 6/1

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube GL-4 80W		

Change every 12 months

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

MERCEDES-BENZ (EU) ATEGO EURO 3
ATEGO 712 EURO 3 (2001-2006)

HYDRAULIC ACTUATION GEARBOX

USE	CLIMATE
Black reservoir cap	Moderate

PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Change every 36 months

USE	CLIMATE
Green reservoir cap	Moderate

PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

HYDRAULIC CAB TILT SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Perlus H 15		

HYDRAULIC SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Perlus H 15		

Change every 12 months

HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Black reservoir cap	Moderate

PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Change every 36 months

USE	CLIMATE
Green reservoir cap	Moderate

PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

MERCEDES-BENZ (EU) ATEGO EURO 3
ATEGO 712 EURO 3 (2001-2006)

POWER STEERING

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4026	**SP Matic 2032**	

GREASE POINTS/NIPPLES

We are unable to give a standard recommendation for this component. Please contact our service department.

GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT

We are unable to give a standard recommendation for this component. Please contact our service department.

COOLING SYSTEM
Capacity: 19 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	**Coolant SP 11**	

Change every 36 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367