

# PACCAR MX SERIES MX-13 EPA 10 (2012-2015)



**ENGINE** Paccar MX-13  
Capacity: 40 liter

USE	CLIMATE
Severe duty	Moderate

PRODUCT RECOMMENDATION 1

**Dieselfleet MSP 15W-40**

*Change every 25000 miles/ 12 months/ 800 hours*

USE	CLIMATE
Line haul, idle time > 20%	Moderate

PRODUCT RECOMMENDATION 1

**Dieselfleet MSP 15W-40**

*Change every 40000 miles/ 12 months/ 1200 hours*

USE	CLIMATE
Line haul, idle time < 20% and engine software level ESB E070 or higher	Moderate

PRODUCT RECOMMENDATION 1

**Dieselfleet LSP Ultra 10W-30**

PRODUCT RECOMMENDATION 2

**Dieselfleet MSP 10W-30**

*Change every 60000 miles/ 12 months/ 1200 hours*

USE	CLIMATE
Line haul, idle time < 20%	Moderate

PRODUCT RECOMMENDATION 1

**Dieselfleet MSP 15W-40**

*Change every 60000 miles/ 12 months/ 1200 hours*

USE	CLIMATE
Line haul, idle time > 20% and engine software level ESB E070 or higher	Moderate

PRODUCT RECOMMENDATION 1

**Dieselfleet LSP Ultra 10W-30**

PRODUCT RECOMMENDATION 2

**Dieselfleet MSP 10W-30**

*Change every 40000 miles/ 12 months/ 1200 hours*

USE	CLIMATE
Severe duty, engine software level ESB E070 or higher	Moderate

PRODUCT RECOMMENDATION 1

**Dieselfleet LSP Ultra 10W-30**

PRODUCT RECOMMENDATION 2

**Dieselfleet MSP 10W-30**

*Change every 25000 miles/ 12 months/ 800 hours*

# PACCAR MX SERIES MX-13 EPA 10 (2012-2015)



## COOLING SYSTEM

Capacity: 53-57 liter

USE		CLIMATE
On-road use		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Coolant SP 15+</b>	<b>Coolant SP 12</b>	<b>Coolant -38 Organic NF</b>

*Change every 750000 miles/ 72 months/ 22000 hours*

USE		CLIMATE
Off-road use		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Coolant SP 15+</b>	<b>Coolant SP 12</b>	<b>Coolant -38 Organic NF</b>

*Change every 96 months/ 15000 hours*

## SELECTIVE CATALYTIC REDUCTION SYSTEM (SCR)

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*