PRODUCT RECOMMENDATION

VOLVO (USA) ENGINES VOLVO D16J (2013-2016)

ENGINE D16J
Capacity: 52 liter (Large oil sump (aluminium)), Capacity: 42 liter (Standard oil sump (sheet metal))

USE		CLIMATE
Fuel economy > 6 MPG		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth MSP 5W-40**
Change every 45000 miles/ 1300 hours		

USE		CLIMATE
Fuel economy > 6 MPG, extra large oil sump		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth MSP 5W-40**
Change every 50000 miles/ 1300 hours		

USE		CLIMATE
Fuel economy > 5 MPG		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth MSP 5W-40**
Change every 35000 miles/ 1000 hours		

USE		CLIMATE
Fuel economy < 5 MPG		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth MSP 5W-40**
Change every 25000 miles/ 625 hours		

USE		CLIMATE
Fuel economy > 5 MPG, extra large oil sump		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth MSP 5W-40**
Change every 45000 miles/ 1000 hours		

USE		CLIMATE
Fuel economy < 5 MPG, extra large oil sump		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 5W-30	**Armado Synth LSP Ultra 10W-40**	**Armado Synth MSP 5W-40**
Change every 35000 miles/ 625 hours		

USE		CLIMATE
Fuel economy > 6 MPG, extended		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet LSP Ultra 10W-30	**Dieselfleet MSP 10W-30**	
Change every 55000 miles/ 1600 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

VOLVO (USA) ENGINES VOLVO D16J (2013-2016)

USE	CLIMATE
Fuel economy > 5 MPG, extended	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet LSP Ultra 10W-30	**Dieselfleet MSP 10W-30**	

Change every 40000 miles/ 1200 hours

USE	CLIMATE
Fuel economy < 5 MPG, extended	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet LSP Ultra 10W-30	**Dieselfleet MSP 10W-30**	

Change every 30000 miles/ 750 hours

USE	CLIMATE
Fuel economy > 6 MPG, extra large oil sump, extended	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet LSP Ultra 10W-30	**Dieselfleet MSP 10W-30**	

Change every 60000 miles/ 1750 hours

USE	CLIMATE
Fuel economy > 5 MPG, extra large oil sump, extended	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet LSP Ultra 10W-30	**Dieselfleet MSP 10W-30**	

Change every 45000 miles/ 1300 hours

USE	CLIMATE
Fuel economy < 5 MPG, extra large oil sump, extended	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet LSP Ultra 10W-30	**Dieselfleet MSP 10W-30**	

Change every 35000 miles/ 825 hours

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

VOLVO (USA) ENGINES VOLVO D16J (2013-2016)

COOLING SYSTEM Volvo
Capacity: 50-59,5 liter

USE	CLIMATE
Extended drain (max)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	**Coolant SP 12**	

Change every 750000 miles/ 96 months

USE	CLIMATE
Fuel economy > 5 MPG	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	**Coolant -26**	

Change every 300000 miles/ 24 months

USE	CLIMATE
Fuel economy < 5 MPG	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	**Coolant -26**	

Change every 150000 miles/ 12 months

SELECTIVE CATALYTIC REDUCTION SYSTEM (SCR)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367