

ASTRA HD7 EURO 2 HD7 84.47 (8X4) (1999-2005)



MOTOR Iveco 8210.42M
Kapacitet: 25,5 liter

ANVEND	KLIMA
Forlænget	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Multifleet SCD 40	Multifleet SCD 30

Skift alle 400 timer

ANVEND	KLIMA
Forlænget	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Skift alle 400 timer

ANVEND	KLIMA
Forlænget	Koldt

PRODUKTANBEFALING 1	
Multifleet SCD 20W-20	

Skift alle 400 timer

ANVEND	KLIMA
Forlænget	Arktisk

PRODUKTANBEFALING 1	
Multifleet SCD 10W	

Skift alle 400 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Multifleet SCD 40	Multifleet SCD 30

Skift alle 200 timer

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Skift alle 200 timer

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	
Multifleet SCD 20W-20	

Skift alle 200 timer

ASTRA HD7 EURO 2 HD7 84.47 (8X4) (1999-2005)



ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1
Multifleet SCD 10W

Skift alle 200 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 40

PRODUKTANBEFALING 2
Multifleet SCD 30

Skift alle 200 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1
Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 2
Multifleet SHPD 15W-40

Skift alle 200 timer

ANVEND	KLIMA
Første Service	Koldt

PRODUKTANBEFALING 1
Multifleet SCD 20W-20

Skift alle 200 timer

ANVEND	KLIMA
Første Service	Arktisk

PRODUKTANBEFALING 1
Multifleet SCD 10W

Skift alle 200 timer

DIFFERENTIALE BAG BUGSERE

Kapacitet: 16 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 85W-140

PRODUKTANBEFALING 2
Unigear LS GL-3/GL-5 85W-140

Skift alle 1000 timer

ASTRA HD7 EURO 2 HD7 84.47 (8X4) (1999-2005)



DIFFERENTIALE BAG FØRE

Kapacitet: 27 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

PRODUKTANBEFALING 2

Unigear LS GL-3/GL-5 85W-140

Skift alle 1000 timer

GEAR ZF 16AS-2200 16/2

Kapacitet: 11 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-4 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

HYDRAULISK TIPPESYSTEM FOR KABINEN

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Skift alle 2000 timer

HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

Skift alle 12 måneder

SERVOSTYRING

Kapacitet: 8,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Skift alle 2000 timer

ASTRA HD7 EURO 2 HD7 84.47 (8X4) (1999-2005)



SMØREPUNKTER/NIPLER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2
Skift alle 100 timer		

KØLESYSTEM Kapacitet: 55 liter		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Coolant -38 Organic NF	PRODUKTANBEFALING 2 Coolant -26	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.