

BMC PROFESSIONAL / PROFESYONEL PRO 935 8X2 EURO 2 (2006-2010)



MOTOR Cummins ISLe 2 350 (Euro 2)
Kapacitet: 23,7 liter

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Skift alle 20000 km/ 3 måneder/ 250 timer

ANVEND	KLIMA
Alle øvrige forhold	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Skift alle 10000 km/ 3 måneder/ 250 timer

DIFFERENTIALE BAG Meritor MS-18
Kapacitet: 21 liter

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 60000 km/ 12 måneder/ 1000 timer

ANVEND	KLIMA
Alle øvrige forhold	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 40000 km/ 6 måneder/ 500 timer

GEAR MANUEL ZF 16S-1820 TO 16/2
Kapacitet: 11 liter

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 60000 km/ 12 måneder/ 1000 timer

ANVEND	KLIMA
Alle øvrige forhold	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 40000 km/ 6 måneder/ 500 timer

BMC PROFESSIONAL / PROFESYONEL PRO 935 8X2 EURO 2 (2006-2010)



HYDRAULISK TIPPESTYSTEM FOR KABINEN

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 15		

HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,3 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

SERVOSTYRING

Kapacitet: 2,9 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
ATF Dexron II-D		

CENTRALT SMØRINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gear Grease EP 0		

SMØREPUNKTER/NIPLER GENERELT

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

BMC PROFESSIONAL / PROFESYONEL PRO 935 8X2 EURO 2 (2006-2010)



KØLESYSTEM		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant SP 15+	Coolant SP 12	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.