

# DAF BUSCHASSIS SB 220 GS 160 (KASSE 2003)



**MOTOR** GS 160  
Kapacitet: 22 liter

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**Armado Synth 10W-40**

PRODUKTANBEFALING 2  
**Synfleet SHPD 10W-40**

PRODUKTANBEFALING 3  
**Dieselfleet CD+ 15W-40**

*Skift alle 12 måneder*

## DIFFERENTIALE BAG SR 1339

ANVEND  
Normal

KLIMA  
Middelhavsagtigt

PRODUKTANBEFALING 1  
**Gearlube GL-5 85W-140**

PRODUKTANBEFALING 2  
**Unigear LS GL-3/GL-5 85W-140**

*Skift alle 100000 km/ 12 måneder*

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**Gearlube Racing 75W-140**

PRODUKTANBEFALING 2  
**SP Gear 1011**

PRODUKTANBEFALING 3  
**SP Gear 5015**

*Skift alle 100000 km/ 12 måneder*

**GEAR AUTOMATISK** Voith D 851.3 3/1  
Kapacitet: 25 liter

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**SP Matic 2032**

PRODUKTANBEFALING 2  
**ATF Almirol**

PRODUKTANBEFALING 3  
**ATF Dexron II-D**

**GEAR AUTOMATISK** Voith D 854.3 4/1  
Kapacitet: 25 liter

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**SP Matic 2032**

PRODUKTANBEFALING 2  
**ATF Almirol**

PRODUKTANBEFALING 3  
**ATF Dexron II-D**

**GEAR AUTOMATISK** ZF 4/5HP 500 4/1  
Kapacitet: 15 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

# DAF BUSCHASSIS SB 220 GS 160 (KASSE 2003)



## SERVOSTYRING

|                      |                     |                     |
|----------------------|---------------------|---------------------|
| ANVEND               |                     | KLIMA               |
| Normal               |                     | Moderat             |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2 | PRODUKTANBEFALING 3 |
| <b>SP Matic 2032</b> | <b>ATF Almirol</b>  | <b>ATF-A</b>        |

Kontroller alle 20000 km/ 12 måneder

## CENTRALSMØREANLÆG FLYDEFEDT

|                              |  |         |
|------------------------------|--|---------|
| ANVEND                       |  | KLIMA   |
| Normal                       |  | Moderat |
| PRODUKTANBEFALING 1          |  |         |
| <b>Gear Grease EP 00/000</b> |  |         |

## CENTRALT SMØRINGSSYSTEM

|                                |                      |         |
|--------------------------------|----------------------|---------|
| ANVEND                         |                      | KLIMA   |
| Normal                         |                      | Moderat |
| PRODUKTANBEFALING 1            | PRODUKTANBEFALING 2  |         |
| <b>HT Q9 High Grade Grease</b> | <b>Labora Grease</b> |         |

## HJULLEJER FOR 130N

|                      |                                 |                              |
|----------------------|---------------------------------|------------------------------|
| ANVEND               |                                 | KLIMA                        |
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

## HJULLEJER FOR 154 N (lowfloor)

|                      |                                 |                              |
|----------------------|---------------------------------|------------------------------|
| ANVEND               |                                 | KLIMA                        |
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

## SMØREPUNKTER/NIPLER ANDRE

|                      |                                 |                              |
|----------------------|---------------------------------|------------------------------|
| ANVEND               |                                 | KLIMA                        |
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

Kontroller alle 20000 km/ 12 måneder

# DAF BUSCHASSIS SB 220 GS 160 (KASSE 2003)



## KØLESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 12**

PRODUKTANBEFALING 3

**Coolant -38 Organic NF**

*Kontroller alle 20000 km, skift alle 24 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*