

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



MOTOR C13
Kapacitet: 40 liter

ANVEND

Fleksibel (max)

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SHPD 15W-40

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Armado Synth LSP 10W-40

PRODUKTANBEFALING 3

Armado Synth 10W-40

DIFFERENTIALE BAG (6x4) Meritor RT

Kapacitet: 11,9-16,3 liter (Bagaksel), Kapacitet: 14,3-18,5 liter (Drivende aksel)

ANVEND

Langdistance

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

PRODUKTANBEFALING 2

SP Gear 1011

PRODUKTANBEFALING 3

Syngear TDL 75W-90

Skift alle 128000 km

ANVEND

Langdistance

KLIMA

Koldt

PRODUKTANBEFALING 1

SP Gear 5015

Skift alle 128000 km

ANVEND

Regionalt

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

PRODUKTANBEFALING 2

SP Gear 1011

PRODUKTANBEFALING 3

Syngear TDL 75W-90

Skift alle 96000 km

ANVEND

Regionalt

KLIMA

Koldt

PRODUKTANBEFALING 1

SP Gear 5015

Skift alle 96000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR AUTOMATISK Allison 1000/2000/2400
Kapacitet: 12-14 liter

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 12800 km/ 800 timer

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 64000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 48000 km

GEAR AUTOMATISK Allison HD
Kapacitet: 34 liter, Kapacitet: 25 liter (Fladt bundkar)

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 12800 km/ 800 timer

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 64000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 48000 km

GEAR MANUEL MBT520 + AGS 6/1
Kapacitet: 9 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL MBT660 + AGS 6/1
Kapacitet: 9 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

GEAR MANUEL 10-HASTIGHEDS Eaton-Fuller 10
Kapacitet: 11-13,2 liter

ANVEND

Langdistance

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 50

PRODUKTANBEFALING 2

Multifleet SCD 40

PRODUKTANBEFALING 3

Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND

Langdistance

KLIMA

Arktisk

PRODUKTANBEFALING 1

Multifleet SCD 30

PRODUKTANBEFALING 2

Gear Oil Alcat 30

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND

Regionalt

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 50

PRODUKTANBEFALING 2

Multifleet SCD 40

PRODUKTANBEFALING 3

Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND

Regionalt

KLIMA

Arktisk

PRODUKTANBEFALING 1

Multifleet SCD 30

PRODUKTANBEFALING 2

Gear Oil Alcat 30

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 11-TRINS RTO SERIE Eaton-Fuller 11

Kapacitet: 13,2 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 13-HASTIGHEDS Eaton-Fuller 13

Kapacitet: 13,2 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 18-HASTIGHEDS Eaton-Fuller 18
Kapacitet: 13,2 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1 Multifleet SCD 50	PRODUKTANBEFALING 2 Multifleet SCD 40	PRODUKTANBEFALING 3 Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1 Multifleet SCD 30	PRODUKTANBEFALING 2 Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1 Multifleet SCD 50	PRODUKTANBEFALING 2 Multifleet SCD 40	PRODUKTANBEFALING 3 Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1 Multifleet SCD 30	PRODUKTANBEFALING 2 Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km



FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 5-TRINS FS SERIE Eaton-Fuller 5

Kapacitet: 5,9-9,2 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 6-HASTIGHEDS Eaton-Fuller 6
Kapacitet: 9,2-10 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1 Multifleet SCD 50	PRODUKTANBEFALING 2 Multifleet SCD 40	PRODUKTANBEFALING 3 Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1 Multifleet SCD 30	PRODUKTANBEFALING 2 Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1 Multifleet SCD 50	PRODUKTANBEFALING 2 Multifleet SCD 40	PRODUKTANBEFALING 3 Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1 Multifleet SCD 30	PRODUKTANBEFALING 2 Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 7-TRINS T SERIE Eaton-Fuller 7

Kapacitet: 17,5 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km



FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



GEAR MANUEL 9-TRINS SERIE Eaton-Fuller 9

Kapacitet: 5,7-12,7 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Langdistance		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 32000 km/ 12 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Multifleet SCD 50	Multifleet SCD 40	Gear Oil Alcat 50

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

ANVEND		KLIMA
Regionalt		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 30	Gear Oil Alcat 30	

Kontroller alle 1600 km/ 100 timer, skift alle 12 måneder/ 24000 km

HYDRAULISK KOBLINGSSYSTEM

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Skift alle 256000 km

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Skift alle 192000 km

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



SERVOSTYRING

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 128000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Skift alle 96000 km

FEDTSMURTE STEDER/NIPLER SLØRJUSTERINGENS BAGESTE AKSEL

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

SMØREPUNKTER/NIPLER DRIVAKSEL

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

SMØREPUNKTER/NIPLER ANDRE

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

FREIGHTLINER M2 (BUSINESS CLASS) M2 (BUSINESS CLASS) 112V CATERPILLAR C13 (2002-2007)



KØLESYSTEM

Kapacitet: 30-35 liter

ANVEND

Langdistance

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15

Skift alle 128000 km

ANVEND

Regionalt

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15

Skift alle 96000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.