

IVECO EUROCARGO TECTOR (12 --> 18 T)

EURO 3 / 4/ 5 EUROCARGO TECTOR ML

120 E28 EURO 4/5 (2008-2014)



MOTOR F4A		
ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP 10W-40	Armado Synth 10W-40	Armado Synth 5W-30
<i>Skift alle 40000 km/ 800 timer/ 12 måneder</i>		
ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP 10W-40	Armado Synth 10W-40	Armado Synth 5W-30
<i>Skift alle 80000 km</i>		
ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP 10W-40	Armado Synth 10W-40	Armado Synth 5W-30
<i>Skift alle 60000 km</i>		

DIFFERENTIALE BAG		
ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube LS 80W-90
<i>Skift alle 80000 km/ 24 måneder/ 1600 timer</i>		
ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube LS 80W-90
<i>Skift alle 160000 km/ 24 måneder</i>		
ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube LS 80W-90
<i>Skift alle 120000 km/ 24 måneder</i>		

IVECO EUROCARGO TECTOR (12 --> 18 T)

EURO 3 / 4/ 5 EUROCARGO TECTOR ML

120 E28 EURO 4/5 (2008-2014)



GEAR AUTOMATISK Allison 5/1

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 40000 km/ 24 måneder/ 1000 timer

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1		
SP Matic 2032		

Skift alle 20000 km/ 6 måneder/ 500 timer

GEAR MANUEL Iveco 2865B.6 6/1

ANVEND	KLIMA
Normal (alternativ)	Moderat

PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 300000 km/ 24 måneder

ANVEND	KLIMA
Krævende (alternativ)	Moderat

PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 240000 km/ 24 måneder

GEAR MANUEL Iveco 2870B.9 9/1

ANVEND	KLIMA
Normal (alternativ)	Moderat

PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 300000 km/ 24 måneder

ANVEND	KLIMA
Krævende (alternativ)	Moderat

PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 240000 km/ 24 måneder

IVECO EUROCARGO TECTOR (12 --> 18 T)

EURO 3 / 4/ 5 EUROCARGO TECTOR ML

120 E28 EURO 4/5 (2008-2014)



HYDRAULISK AKTIVERING GEARKASSE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Fluid 3013		

HYDRAULISK TIPPESYSTEM FOR KABINEN

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
LHM +		

HYDRAULISK BREMSESYSTEM ABS

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Skift alle 24 måneder

HYDRAULISK KOBLINGSSYSTEM

ANVEND		KLIMA
Krævende		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Kontroller alle 40000 km/ 12 måneder/ 800 timer, skift alle 36 måneder

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Kontroller alle 80000 km, skift alle 36 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Kontroller alle 60000 km, skift alle 36 måneder

IVECO EUROCARGO TECTOR (12 --> 18 T)

EURO 3 / 4/ 5 EUROCARGO TECTOR ML

120 E28 EURO 4/5 (2008-2014)

**CENTRALSMØREANLÆG SMØREFEDT**

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

SMØREPUNKTER/NIPLER ANDRE

ANVEND Krævende		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

Kontroller alle 80000 km/ 12 måneder/ 1600 timer

ANVEND Langdistance		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

Kontroller alle 160000 km/ 12 måneder

ANVEND Regionalt		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

Kontroller alle 120000 km/ 12 måneder

SMØREPUNKTER/NIPLER LEJER

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Multi Purpose Grease 3	

KØLESYSTEM

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Coolant -38 Organic NF	PRODUKTANBEFALING 2 Coolant -26	

Skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.