

IVECO EUROCARGO TECTOR (6 --> 10 T)

EURO 3 / 4 / 5 EUROCARGO TECTOR ML 65

E13 (2001-2008)



MOTOR Iveco F4AE0481D*C Euro 3
Kapacitet: 8,3 liter, Filterkapacitet: 1 liter

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Skift alle 40000 km/ 12 måneder/ 1600 timer

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Skift alle 80000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Skift alle 60000 km

DIFFERENTIALE BAG HYPOID Iveco 450617
Kapacitet: 3 liter

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube LS 80W-90

Skift alle 160000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube LS 80W-90

Skift alle 120000 km

ANVEND	KLIMA
Kort distance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube LS 80W-90

Kontroller alle 40000 km/ 12 måneder/ 1600 timer, skift alle 80000 km/ 24 måneder/ 3200 timer

IVECO EUROCARGO TECTOR (6 --> 10 T)

EURO 3 / 4 / 5 EUROCARGO TECTOR ML 65

E13 (2001-2008)



GEAR MANUEL 5/1

Kapacitet: 5,5 liter

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Kontroller alle 40000 km/ 12 måneder/ 1600 timer, skift alle 80000 km/ 24 måneder/ 3200 timer

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 160000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 120000 km

GEAR MANUEL Iveco 2855.6 6/1

Kapacitet: 5,5 liter

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Kontroller alle 40000 km/ 12 måneder/ 1600 timer, skift alle 80000 km/ 24 måneder/ 3200 timer

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 160000 km

ANVEND	KLIMA
Regionalt	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 120000 km

IVECO EUROCARGO TECTOR (6 --> 10 T)

EURO 3 / 4 / 5 EUROCARGO TECTOR ML 65

E13 (2001-2008)



HYDRAULISK TIPPESTYSTEM FOR KABINEN

Kapacitet: 0,7 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
LHM +		

HYDRAULISK BREMSESTYSTEM ABS

Kapacitet: 1,9 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 80000 km/ 12 måneder, skift alle 24 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 60000 km/ 12 måneder, skift alle 24 måneder

ANVEND		KLIMA
Kort distance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 40000 km/ 12 måneder/ 1600 timer, skift alle 24 måneder

IVECO EUROCARGO TECTOR (6 --> 10 T)

EURO 3 / 4 / 5 EUROCARGO TECTOR ML 65

E13 (2001-2008)



HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,4 liter

ANVEND		KLIMA
Langdistance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 80000 km/ 12 måneder, skift alle 36 måneder

ANVEND		KLIMA
Regionalt		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 60000 km/ 12 måneder, skift alle 36 måneder

ANVEND		KLIMA
Kort distance		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 40000 km/ 12 måneder/ 1600 timer, skift alle 36 måneder

SERVOSTYRING ZF 8090

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
ATF Dexron II-D		

HJULLEJER OLIESMURT FOR

Kapacitet: 0,1 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

KØLESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Coolant -38 Organic NF	Coolant -26	

Kontroller alle 12 måneder, skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUKTANBEFALING

**IVECO EUROCARGO TECTOR (6 --> 10 T)
EURO 3 / 4 / 5 EUROCARGO TECTOR ML 65
E13 (2001-2008)**



information contained herein is subject to changes without notification.