

IVECO TRAKKER CURSOR 13 (4X2/4X4) TRAKKER 190T45 (4X2) EURO 4/5 (2006-2014)



MOTOR Cursor 13
Kapacitet: 28 liter

ANVEND

On-Highway

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth 5W-30

Skift alle 100000 km/ 12 måneder

ANVEND

Terrænanvendelse

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth 5W-30

Skift alle 1000 timer/ 12 måneder

ANVEND

På motorvejen (alternativ)

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP 10W-40

PRODUKTANBEFALING 2

Armado Synth 10W-40

Skift alle 80000 km

ANVEND

Væk fra motorvejen (alternativ)

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth LSP 10W-40

PRODUKTANBEFALING 2

Armado Synth 10W-40

Skift alle 800 timer/ 12 måneder

IVECO TRAKKER CURSOR 13 (4X2/4X4) TRAKKER 190T45 (4X2) EURO 4/5 (2006-2014)



DIFFERENTIALE BAG

ANVEND	KLIMA
On-Highway	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 150000 km/ 24 måneder

ANVEND	KLIMA
On-Highway	Arktisk

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 150000 km/ 24 måneder

ANVEND	KLIMA
Off-Highway	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 24 måneder/ 1500 timer

ANVEND	KLIMA
Off-Highway	Arktisk

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 24 måneder/ 1500 timer



IVECO TRAKKER CURSOR 13 (4X2/4X4) TRAKKER 190T45 (4X2) EURO 4/5 (2006-2014)



GEAR MANUEL ZF 16S-2220 TO 16/2
Kapacitet: 13 liter

ANVEND	KLIMA
On-Highway	Moderat

PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 240000 km/ 24 måneder

ANVEND	KLIMA
Off-Highway	Moderat

PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 2400 timer/ 24 måneder

ANVEND	KLIMA
På motorvejen (alternativ)	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 120000 km/ 12 måneder

ANVEND	KLIMA
Væk fra motorvejen (alternativ)	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 1200 timer/ 12 måneder

KRAFTOVERFØRING Multipower

ANVEND	KLIMA
On-Highway	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 12 måneder

ANVEND	KLIMA
Off-Highway	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 800 timer/ 12 måneder

IVECO TRAKKER CURSOR 13 (4X2/4X4) TRAKKER 190T45 (4X2) EURO 4/5 (2006-2014)



HYDRAULISK KOBLINGSSYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

Skift alle 36 måneder

SERVOSTYRING

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

CENTRALSMØREANLÆG SMØREFEDT

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

SMØREPUNKTER/NIPLER ANDRE

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

SMØREPUNKTER/NIPLER HJULLEJER

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Multi Purpose Grease 3

KØLESYSTEM

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Skift alle 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.