

MAN TGX EURO 4 TGX 26.360 (6X4) EGR EURO 4 (2008 OG EFTER)



MOTOR D 2066 LF38 EGR
Kapacitet: 42 liter

ANVEND	KLIMA
Langdistance	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 90000 km/ 12 måneder

ANVEND	KLIMA
Regional, brændstof <30 l/100 km	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 70000 km/ 12 måneder

ANVEND	KLIMA
Fordeling, brændstof 30-50 l/100 km	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 50000 km/ 12 måneder

ANVEND	KLIMA
Svær, brændstof >50 l/100 km	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth LSP 10W-40

Skift alle 30000 km/ 12 måneder

DIFFERENTIALE BAG BUGSERE MAN HY-1350
Kapacitet: 14,5 liter

ANVEND	KLIMA
Forlænget	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 500000 km/ 36 måneder

ANVEND	KLIMA
Udvidet, tropisk klima	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 360000 km/ 36 måneder

MAN TGX EURO 4 TGX 26.360 (6X4) EGR EURO 4 (2008 OG EFTER)



ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 320000 km/ 24 måneder

ANVEND		KLIMA
Alternativ (acceptabel)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Gearlube GL-5 80W-90

Skift alle 160000 km/ 24 måneder

ANVEND		KLIMA
Tropisk klima		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 210000 km/ 24 måneder

ANVEND		KLIMA
Alternativ (acceptabel), tropisk klima		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Gearlube GL-5 80W-90

Skift alle 110000 km/ 24 måneder

DIFFERENTIALE BAG FØRE MAN HYD-1370

Kapacitet: 18 liter

ANVEND		KLIMA
Forlænget		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 500000 km/ 36 måneder

ANVEND		KLIMA
Udvidet, tropisk klima		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 360000 km/ 36 måneder

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 320000 km/ 24 måneder

MAN TGX EURO 4 TGX 26.360 (6X4) EGR EURO 4 (2008 OG EFTER)



ANVEND		KLIMA
Alternativ (acceptabel)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Gearlube GL-5 80W-90

Skift alle 160000 km/ 24 måneder

ANVEND		KLIMA
Tropisk klima		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 210000 km/ 24 måneder

ANVEND		KLIMA
Alternativ (acceptabel), tropisk klima		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Gearlube GL-5 80W-90

Skift alle 110000 km/ 24 måneder

GEAR AUTOMATISK ZF 12AS-2130 DD (TipMatic) 12/1 Kapacitet: 11 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Syngear MT/LD 75W-80		

Skift alle 320000 km/ 24 måneder

ANVEND		KLIMA
Alternativ (acceptabel)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	Syngear TDL 75W-90	Syngear HS 75W-90

Skift alle 160000 km/ 12 måneder



MAN TGX EURO 4 TGX 26.360 (6X4) EGR EURO 4 (2008 OG EFTER)



GEAR MANUEL ZF 16S-2220 16/2

Kapacitet: 13 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Syngear MT/LD 75W-80

Skift alle 320000 km/ 24 måneder

ANVEND

Alternativ (acceptabel)

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Syngear HS 75W-90

Skift alle 160000 km/ 12 måneder

HYDRAULISK TIPPESYSTEM FOR KABINEN

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 15

HYDRAULISK KOBLING + HGS (KONGSBERG) GEAR-AKTIVERINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

HYDRAULISK KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

MAN TGX EURO 4 TGX 26.360 (6X4) EGR EURO 4 (2008 OG EFTER)



SERVOSTYRING ZF 8098

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Matic 2032	PRODUKTANBEFALING 2 ATF Almirol	PRODUKTANBEFALING 3 ATF Dexron II-D

ANVEND Alternativ (acceptabel)		KLIMA Moderat
PRODUKTANBEFALING 1 SP Matic 2032	PRODUKTANBEFALING 2 ATF Almirol	PRODUKTANBEFALING 3 ATF Dexron II-D

CENTRALSMØREANLÆG OLIE Vogel

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Armado Synth LSP Ultra 10W-40	PRODUKTANBEFALING 2 Armado Synth LSP 10W-40	

CENTRALSMØREANLÆG SMØREFEDT Vogel

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Gear Grease EP 00/000		

CENTRALT SMØRINGSSYSTEM BEKA-MAX

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 HT Q9 High Grade Grease		

CENTRALT SMØRINGSSYSTEM Groeneveld

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Gear Grease EP 0	PRODUKTANBEFALING 2 Gear Grease EP 00/000	

MAN TGX EURO 4 TGX 26.360 (6X4) EGR EURO 4 (2008 OG EFTER)



HJULLEJER BAG

Kapacitet: 120 gram (hver side)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

HT Q9 High Grade Grease

KØLESYSTEM

Kapacitet: 52 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

Skift alle 500000 km/ 48 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.