

# MERCEDES-BENZ (EU) ATEGO EURO 3

## ATEGO 1518 L EURO 3 (2001-2006)



**MOTOR** OM904LA III/5; Euro 3  
Kapacitet: 15,8 liter

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1

**Armado Synth LSP Ultra 5W-30**

PRODUKTANBEFALING 2

**Armado Synth LSP Ultra 10W-40**

PRODUKTANBEFALING 3

**Armado Synth LSP 10W-40**

*Skift alle 12 måneder*

**DIFFERENTIALE BAG HYPOID MB HL4**

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1

**SP Gear 1011**

PRODUKTANBEFALING 2

**Syngear TDL 75W-90**

PRODUKTANBEFALING 3

**Gearlube GL-5 80W-90**

*Skift alle 12 måneder*

**GEAR AUTOMATISK Allison WT-MD 3060 6/1**

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1

**SP Matic 4026**

PRODUKTANBEFALING 2

**SP Matic 2032**

PRODUKTANBEFALING 3

**ATF Almirol**

*Skift alle 60000 km*

**GEAR MANUEL MB G 60-6 6/1**

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1

**Gearlube GL-4 80W**

*Skift alle 12 måneder*

# MERCEDES-BENZ (EU) ATEGO EURO 3

## ATEGO 1518 L EURO 3 (2001-2006)



### HYDRAULISK AKTIVERING GEARCASSE

| ANVEND               | KLIMA   |
|----------------------|---------|
| Låg på sort beholder | Moderat |

| PRODUKTANBEFALING 1       |  |  |
|---------------------------|--|--|
| <b>Drauliquid-S DOT 4</b> |  |  |

Skift alle 36 måneder

| ANVEND               | KLIMA   |
|----------------------|---------|
| Låg på grøn beholder | Moderat |

| PRODUKTANBEFALING 1  |  |  |
|----------------------|--|--|
| <b>SP Fluid 3013</b> |  |  |

### HYDRAULISK SYSTEM

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 |  |  |
|---------------------|--|--|
| <b>Perlus H 15</b>  |  |  |

Skift alle 12 måneder

### HYDRAULISK TIPPESYSTEM FOR KABINEN

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 |  |  |
|---------------------|--|--|
| <b>Perlus H 15</b>  |  |  |

### HYDRAULISK KOBLINGSSYSTEM

| ANVEND               | KLIMA   |
|----------------------|---------|
| Låg på sort beholder | Moderat |

| PRODUKTANBEFALING 1       |  |  |
|---------------------------|--|--|
| <b>Drauliquid-S DOT 4</b> |  |  |

Skift alle 36 måneder

| ANVEND               | KLIMA   |
|----------------------|---------|
| Låg på grøn beholder | Moderat |

| PRODUKTANBEFALING 1  |  |  |
|----------------------|--|--|
| <b>SP Fluid 3013</b> |  |  |

# MERCEDES-BENZ (EU) ATEGO EURO 3

## ATEGO 1518 L EURO 3 (2001-2006)



### SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 4026**

PRODUKTANBEFALING 2

**SP Matic 2032**

### SMØREPUNKTER/NIPLER

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

### SMØREPUNKTER/NIPLER HJULLEJER FOR

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

### KØLESYSTEM

Kapacitet: 19 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 11**

*Skift alle 36 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*