

# MERCEDES-BENZ (EU) MK 650 --> 654 MK 1924 (4X2) EURO 1 (1992-1998)



## MOTOR OM401LA (Euro 1)

Kapacitet: 18,5 liter, Filterkapacitet: 2 liter

| ANVEND                        |                               | KLIMA                         |
|-------------------------------|-------------------------------|-------------------------------|
| Normal                        |                               | Middelhavsagtigt              |
| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2           | PRODUKTANBEFALING 3           |
| <b>Dieselfleet MSP 15W-40</b> | <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> |

| ANVEND                              |                                      | KLIMA                          |
|-------------------------------------|--------------------------------------|--------------------------------|
| Normal                              |                                      | Moderat                        |
| PRODUKTANBEFALING 1                 | PRODUKTANBEFALING 2                  | PRODUKTANBEFALING 3            |
| <b>Armado Synth LSP Ultra 5W-30</b> | <b>Armado Synth LSP Ultra 10W-40</b> | <b>Armado Synth LSP 10W-40</b> |

## DIFFERENTIALE BAG

Kapacitet: 11 liter

| ANVEND              |                           | KLIMA                       |
|---------------------|---------------------------|-----------------------------|
| Normal              |                           | Moderat                     |
| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       | PRODUKTANBEFALING 3         |
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> | <b>Gearlube GL-5 80W-90</b> |

## GEAR MANUEL MB G 4/95-6/9.0 6/1

Kapacitet: 14 liter

| ANVEND                   |                          | KLIMA                       |
|--------------------------|--------------------------|-----------------------------|
| Normal                   |                          | Moderat                     |
| PRODUKTANBEFALING 1      | PRODUKTANBEFALING 2      | PRODUKTANBEFALING 3         |
| <b>Syngear HS 75W-90</b> | <b>Gearlube GL-4 80W</b> | <b>Gearlube GL-4 80W-90</b> |

## KRAFTOVERFØRING

| ANVEND                   |                          | KLIMA                       |
|--------------------------|--------------------------|-----------------------------|
| Normal                   |                          | Moderat                     |
| PRODUKTANBEFALING 1      | PRODUKTANBEFALING 2      | PRODUKTANBEFALING 3         |
| <b>Syngear HS 75W-90</b> | <b>Gearlube GL-4 80W</b> | <b>Gearlube GL-4 80W-90</b> |

## HYDRAULISK TIPESYSTEM FOR KABINEN

Kapacitet: 0,6 liter

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>Perlus H 15</b>  |  |         |

# MERCEDES-BENZ (EU) MK 650 --> 654 MK 1924 (4X2) EURO 1 (1992-1998)



## HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,1 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**Drauliquid-S DOT 4**

*Skift alle 36 måneder*

## SERVOSTYRING

Kapacitet: 3,8 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**SP Matic 4026**

PRODUKTANBEFALING 2

**SP Matic 2032**

PRODUKTANBEFALING 3

**ATF-A**

## CENTRALT SMØRINGSSYSTEM

Kapacitet: 2,7 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

## SMØREPUNKTER/NIPLER

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**Q5 MP Calcep Grease EP 2**

PRODUKTANBEFALING 2

**MP Lithep Grease EP 2**

## SMØREPUNKTER/NIPLER HJULLEJER BAG HL 4/06

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**Q5 MP Calcep Grease EP 2**

PRODUKTANBEFALING 2

**MP Lithep Grease EP 2**

*Skift alle 24 måneder*

## SMØREPUNKTER/NIPLER HJULLEJER FOR

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

PRODUKTANBEFALING 1

**Q5 MP Calcep Grease EP 2**

PRODUKTANBEFALING 2

**MP Lithep Grease EP 2**

# MERCEDES-BENZ (EU) MK 650 --> 654 MK 1924 (4X2) EURO 1 (1992-1998)



## KØLESYSTEM

Kapacitet: 36 liter

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Coolant SP 15+**

### PRODUKTANBEFALING 2

**Coolant SP 11**

*Skift alle 36 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*