

NISSAN (EU) ATLEON ATLEON 140 (FRA VIN 514110) (2002-2006)



MOTOR B4-40 Ti
Kapacitet: 8,8 liter

ANVEND
Normal

KLIMA
Tropisk

PRODUKTANBEFALING 1

Multifleet SCD 50

PRODUKTANBEFALING 2

Multifleet SCD 40

Skift alle 20000 km/ 12 måneder

ANVEND
Normal

KLIMA
Middelhavsaagtigt

PRODUKTANBEFALING 1

Multifleet SCD 30

Skift alle 20000 km/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Synfleet SHPD 10W-40

PRODUKTANBEFALING 2

Dieselfleet LSP Ultra 10W-30

PRODUKTANBEFALING 3

Dieselfleet CD+ 15W-40

Skift alle 20000 km/ 12 måneder

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1

Armado Synth 5W-30

Skift alle 20000 km/ 12 måneder

ANVEND
Normal

KLIMA
Arktisk

PRODUKTANBEFALING 1

Multifleet SCD 10W

Skift alle 20000 km/ 12 måneder

NISSAN (EU) ATLEON ATLEON 140 (FRA VIN 514110) (2002-2006)



DIFFERENTIALE BAG

Kapacitet: 6 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

SP Gear 1071

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

DIFFERENTIALE BAG MED DIFFERENTIALELÅS

Kapacitet: 6 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

SP Gear 1071

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

GEAR MANUEL

Kapacitet: 3,2 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Unigear LS GL-3/GL-5 85W-140

Kontroller alle 20000 km/ 12 måneder, skift alle 60000 km/ 24 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

SP Gear 5015

PRODUKTANBEFALING 3

Syngear TDL 75W-90

Kontroller alle 20000 km/ 12 måneder, skift alle 60000 km/ 24 måneder

NISSAN (EU) ATLEON ATLEON 140 (FRA VIN 514110) (2002-2006)



HYDRAULISK BREMSESYSTEM

Kapacitet: 1,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

Kontroller alle 20000 km, skift alle 40000 km/ 24 måneder

SERVOSTYRING

Kapacitet: 2,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Kontroller alle 20000 km/ 12 måneder, skift alle 100000 km/ 60 måneder

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Skift alle 20000 km/ 12 måneder

SMØREPUNKTER/NIPLER NAVENHED

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Skift alle 40000 km/ 48 måneder

NISSAN (EU) ATLEON ATLEON 140 (FRA VIN 514110) (2002-2006)



KØLESYSTEM

Kapacitet: 18,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Kontroller alle 20000 km/ 12 måneder, skift alle 60000 km/ 36 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.