

PETERBILT REGIONALE FRAGTLASTBILER

337 PACCAR PX-6 (2010-2013)



MOTOR Paccar PX-6
Kapacitet: 16,7 liter

ANVEND	KLIMA
Skraldebil, blander, læsser: gennemsnitlig hastighed > 25 mph	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 12000 mil/ 6 måneder/ 500 timer

ANVEND	KLIMA
Skraldebil, blander, læsser: gennemsnitlig hastighed 20 - 25 mph	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 9000 mil/ 6 måneder/ 500 timer

ANVEND	KLIMA
Skraldebil, blander, læsser: gennemsnitlig hastighed 15 - 20 mph	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 8500 mil/ 6 måneder/ 500 timer

ANVEND	KLIMA
Skraldebil, blander, læsser: gennemsnitlig hastighed 10 - 15 mph	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 6000 mil/ 6 måneder/ 500 timer

ANVEND	KLIMA
Skraldebil, blander, læsser: gennemsnitlig hastighed < 10 mph	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 3000 mil/ 6 måneder/ 500 timer

ANVEND	KLIMA
Brændstofforbrug > 7 mpg og GVW < 46.000 lbs	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 15000 mil/ 6 måneder/ 500 timer

ANVEND	KLIMA
Brændstofforbrug < 7 mpg eller støvede områder eller tomgang > 40 % eller GVW < 46.000 lbs	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth LSP Ultra 5W-30	Armado Synth LSP Ultra 10W-40	Armado Synth MSP 5W-40

Skift alle 9000 mil/ 6 måneder/ 500 timer

PETERBILT REGIONALE FRAGTLASTBILER

337 PACCAR PX-6 (2010-2013)



DIFFERENTIALE Eaton/Dana

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Kontroller alle 15000 mil, skift alle 500000 mil

GEAR AUTOMATISK Allison

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Kontroller alle 15000 mil, skift alle 25000 mil

GEAR MANUEL Fuller

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 50

Kontroller alle 15000 mil, skift alle 50000 mil

SERVOSTYRING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Kontroller alle 7500 mil, skift alle 60000 mil/ 6 måneder

PETERBILT REGIONALE FRAGTLASTBILER

337 PACCAR PX-6 (2010-2013)



KØLESYSTEM

Kapacitet: 11,5 liter (Motor kun)

ANVEND

Vejkørsel

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Skift alle 750000 mil/ 72 måneder/ 22000 timer

ANVEND

Terrænkørsel

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Skift alle 96 måneder/ 15000 timer

SCR(SELECTIVE CATALYTIC REDUCTION)-SYSTEM

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.