

SCANIA BUSSEER OMNICITY CN94UA 6X2/2 EURO 2 (ETHANOL) (1998-2001)



MOTOR DSI9 E01 Euro 2 (Ethanol)

Kapacitet: 31 liter, Kapacitet: 38 liter (Tør efterfyld), Filterkapacitet: 2 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth 10W-40	Synfleet SHPD 10W-40	Armado Synth 5W-30

Skift alle 10000 km/ 12 måneder

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1		
Dieselfleet MSP 10W-30		

Skift alle 10000 km/ 12 måneder

DIFFERENTIALE BAG ZF AV-132

Kapacitet: 21 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Unigear HS GL-3/GL-5 80W-90		

Kontroller alle 20000 km, skift alle 40000 km

GEAR AUTOMATISK ZF 4HP500 4/1

Kapacitet: 15 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

HYDRAULISK KONTROLSYSTEM LEDDELT BUS

Kapacitet: 2,8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

Kontroller alle 80000 km

SCANIA BUSSEER OMNICITY CN94UA 6X2/2 EURO 2 (ETHANOL) (1998-2001)



HYDRAULISK SYSTEM VENTILATOR

Kapacitet: 8 liter

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Kontroller alle 20000 km

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Armado Synth 5W-30		

Kontroller alle 20000 km

HYDRAULISK KOBLINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Kontroller alle 20000 km

SERVOSTYRING

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
ATF Dexron II-D	ATF-A	

Kontroller alle 20000 km

CENTRALT SMØRINGSSYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

SCANIA BUSSEER OMNICITY CN94UA 6X2/2 EURO 2 (ETHANOL) (1998-2001)



HJULLEJER BAG OLIESMURT ZF AV-132

Kapacitet: 0,7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Unigear HS GL-3/GL-5 80W-90

Kontroller alle 20000 km, skift alle 40000 km

SMØREPUNKTER/NIPLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

Kontroller alle 20000 km

KØLESYSTEM

Kapacitet: 40 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

Kontroller alle 20000 km, skift alle 80000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.